

MAC Distinction[®]


Ultramodern aesthetic

Low maintenance and enduring

Roofing and wall cladding

Diverse selection of materials, finishes textures and colours

Compliant with stringent fire rating standards



**metroll
architectural
collection**

MAC DISTINCTION®

MAC Distinction® roofing and walling is an innovative concealed fix panel system with a vast range of design applications for residential and commercial projects.

This exceptional product has received phenomenal response due to it's long lines, abundant capacity for creative application and ease of install.

Panel Widths	322 mm
Rib Height	42 mm
Panel Length	Up to 20 m. Longer lengths available. Restrictions may apply.

MAC DISTINCTION® - ROOFING (NON CYCLONIC)

BMT mm	Steel Base MPa	Min. Pitch	MAX SPANS mm	
			End	Internal
0.55	G300	1°	900	1200

MAC DISTINCTION® - WALLING






0.55	G300	-	1200	1500
------	------	---	------	------

ROOFING & WALLING CLIPS & FASTENERS

MAC Distinction® is fixed to supports by Distinction® Clips.

TIMBER SUPPORTS - HARD OR SOFT	M6 - 11 x 25 mm Hex Head w Seal or Type 17 x 25 mm Hex Head
STEEL SUPPORTS < 1.9 mm BMT	M6 - 11 x 25 mm Hex Head
STEEL SUPPORTS TO METAL BATTENS (0.55 - 1.0 mm)	M6 - 11 x 25 mm or 10 - 16 mm Hex Head Metal Teks w Seal

**DESIGN WITH
DISTINCTION®**
BUILD WITH STYLE



**metroll
architectural
collection**

Materials Range

MAC Distinction is manufactured from a vast selection of materials and finishes to achieve a stunning outcome for your project.

Colorbond® Steel

Colorbond® steel is a 100% Australian product that has been tested and developed to withstand the harsh and extreme Australian environment. MAC Distinction® is available in the complete Colorbond® range which includes Contemporary; Classic; Ultra and Matt.



Colorbond® Stainless Steel

Stainless Steel is one of the most common materials used in today's construction. Distinction® may be used both on the interior and exterior of buildings creating a striking architectural effect.



Copper

Copper has an attractive and unique finish. It is very durable and low maintenance with natural resistance to salt water corrosion making it ideal for coastal locations. It is also 100% recyclable.



Aluminium

Aluminium is an economical and corrosion resistant product which is malleable, lightweight and strong. It is easily shaped to suit a range of different profiles. Aluminium is non-combustible and comes with excellent material warranty.

* Aluminium Material Warranty from 15 to 40 years depending on specification



Redcor® Weathering Steel

Redcor® Weathering Steel is a steel alloy developed to eliminate the need for painting and forms a stable rust-like appearance.




OIL CANNING



What is Oil Canning?

Oil Canning is an inherent characteristic of non-ferrous metals with broad, flat areas. The Architect, Builder and Homeowner needs to be aware that Oil Canning may affect the overall aesthetic outcome.

There are measures that can be taken during design and installation to minimise the risk, such as ensuring the plywood is flush, the panels are fixed vertically, limiting the continuous length of each panel and reducing the size of the pan.

For more information please contact your Metroll branch.





metroll architectural collection

Nail Strip
Standing Seam
Snap Lock
Interlocking Panel
Distinction®

ALSO AVAILABLE FROM METROLL:

Roofing & Cladding

Roofing Accessories

Rainwater Goods

Colorbond® Steel Fencing

Top Hats, Battens & Stud Frames

Insulated Panels

Purlins & Structural

All reasonable care has been taken in the compilation of the information contained in this brochure. All recommendations on the use of Metroll products are made without guarantee as conditions of use are beyond the control of Metroll. It is the customers responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable. Metroll pursues a policy of continuous development and reserves the right to amend specifications without prior notice. The Metroll M and Logo are registered trademarks of Metroll. COLORBOND®, ZINCALUME®, REDCOR® steels are registered trademarks of BlueScope Steel Limited.

MAC_D_WA_APR21



METROLL PERTH
5 Chilver St
Kewdale
WA 6105
P: 08 9365 5444

METROLL BUNBURY
11 Proffit St
Bunbury
WA 6230
P: 08 9796 9796

METROLL ALBANY
179 Chester Pass Rd
Albany
WA 6330
P: 08 9841 6966