


# FLASHINGS

STANDARD & CUSTOM MADE



A Met-TECH™ GUIDE

DECEMBER 2018



**Metroll**®

BETTER SERVICE • BETTER BUILDING SOLUTIONS

# METROLL FLASHINGS

Metroll offers a comprehensive selection of flashings, barge ends, corner trims and foot moulds. All are manufactured to complement the appearance and functionality of Metroll gutters, claddings, roofing and building products. Metroll flashings come in a range of style, colours and sizes to suit commercial, residential, industrial and rural applications. Materials include COLORBOND®, ZINCALUME® and galvanised steels in a range of widths up to 1200mm.

## STANDARD & CUSTOM FLASHINGS

Standard flashings include ridge caps, valley gutters, corner moulds, end aprons and barge cappings. These products have predetermined bends and lengths to suit Corodek®, Trimclad®, Metlok 700®, Metrospan®, Metroclad®, Metrib®, Mini Corodek® and Spanplus 500®. Almost any size and shape of flashing can be manufactured in a range of materials and colours. Standard Metroll flashings are manufactured up to 1200mm wide. Custom made flashings can be made in varying lengths up to a maximum of 8m.

## MATERIAL COMPATIBILITY

Roof or Rainwater Material	Direct Material Contact									Drainage from Upper Surface to Lower Surface								
	Accessory, Fastener or Upper Surface									Accessory, Fastener or Upper Surface								
	Zincalume®	Galvanised	Zinc	Colorbond®	CB Stainless Steel	Stainless Steel	Aluminium Alloys	Copper & Alloys	Lead	Zincalume®	Galvanised	Zinc	Colorbond®	CB Stainless Steel	Stainless Steel	Aluminium Alloys	Copper & Alloys	Lead
Zincalume®	✓	✓	✓	✓	✗	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
Galvanised	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✓
Zinc	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✓
Colorbond®	✓	✓	✓	✓	✗	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
CB Stainless Steel	✗	✗	✗	✗	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stainless Steel	✗	✗	✗	✗	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Aluminium Alloys	✓	✓	✓	✓	✗	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
Copper & Alloys	✗	✗	✗	✗	✗	✗	✗	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Lead	✗	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Never use lead products with products made from COLORBOND® and ZINCALUME® steels. Avoid drainage from copper products onto COLORBOND®, ZINCALUME® or galvanised steel. Bare metal and some chemically treated timbers are not compatible with COLORBOND®

## ADVERSE CONDITIONS

Localised environmental conditions can impact the corrosive nature of a site which may impact on material choice. Conditions that may impact on material choice include; direction of prevailing winds, rainfall intensity, duration of exposure, temperature, shelter and areas not washed by rainfall. Contact your local Metroll branch if you intend to use flashing products within 1km of industrial, chemical, marine or corrosive environments.

## AVAILABILITY & DELIVERY





















Metroll flashings are available from the national network of Metroll offices. Contact your local Metroll branch for delivery days in your area.

## What is Met-TECH™?
















Met-TECH™ is Metroll's Technical Resource Centre. It is the one stop shop for all of Metroll's product and technical information. Perfect for builders, contractors and specifiers to source all the information they may require. You can find other Met-TECH™ items on our website [www.metroll.com.au/resources](http://www.metroll.com.au/resources)

# CUSTOM MADE FLASHINGS
















## GUTTERS

<b>1</b> 	<b>2</b> 	<b>3</b> 	<b>4</b> 	<b>5</b> 	<b>6</b> 	<b>7</b> 
<b>8</b> 	<b>9</b> 	<b>10</b> 	<b>11</b> 	<b>12</b> 	<b>13</b> 	<b>14</b> 
<b>15</b> 	<b>16</b> 	<b>17</b> 	<b>18</b> 	<b>19</b> 	<b>20</b> 	











## CAPPINGS

<b>21</b> 	<b>22</b> 	<b>23</b> 	<b>24</b> 	<b>25</b> 
<b>26</b> 	<b>27</b> 	<b>28</b> 	<b>29</b> 	<b>30</b> 
<b>31</b> 	<b>32</b> 	<b>33</b> 	<b>34</b> 	<b>35</b> 

## FLASHINGS

<b>36</b> 	<b>37</b> 	<b>38</b> 	<b>39</b> 	<b>40</b> 
<b>41</b> 	<b>42</b> 	<b>43</b> 	<b>44</b> 	<b>45</b> 
<b>46</b> 	<b>47</b> 	<b>48</b> 	<b>49</b> 	<b>50</b> 


## OTHER

<b>51</b> 	<b>52</b> 	<b>53</b> 	<b>54</b> 	<b>55</b> 
<b>56</b> 	<b>57</b> 	<b>58</b> 	<b>59</b> 	<b>60</b> 

## HOW TO ORDER

1. Choose the appropriate profile number, material thickness and finish.
2. Should COLORBOND® be required, nominate which side the colour is to be.
3. Specify the measurement for each letter shown.
4. Specify the angle where applicable.
5. Specify direction for tapered flashings.
6. Specify the quantity and length applicable to each profile.

# Can we assist with any additional Steel Building Products?



<b>QLD</b>		<b>NSW</b>		<b>VIC</b>		<b>TAS</b>	
Cairns	07 4054 0888	Lismore	02 6622 6677	Preston	03 9480 3744	Launceston	03 6335 8555
Townsville	07 4779 8266	Tamworth	02 6765 4799	Laverton	03 8369 8300	<b>NT</b>	
Mackay	07 4968 1255	Newcastle	02 4954 5799	Geelong	03 5248 2006	Darwin	08 8935 9555
Rockhampton	07 4920 0900	Sydney	1300 766 346	Ballarat	03 5335 6416	<b>WA</b>	
Bundaberg	07 4155 5999	Dubbo	02 6883 4800	Pakenham	03 8710 9300	Perth	08 9365 5444
Toowoomba	07 4634 6144	Wagga Wagga	02 5924 4500	<b>SA</b>		Bunbury	08 9796 9796
Sunshine Coast	07 5493 7872	<b>ACT</b>		Adelaide	08 8282 3300	Albany	08 9841 6966
Brisbane	07 3375 0100	Canberra	02 6298 2777				

## 26 Metroll Branches Nationwide

visit our new website  
[metroll.com.au](http://metroll.com.au)



Metroll Pty Ltd. ABN 97 001 446 439. All reasonable care has been taken in the compilation of the information contained in this brochure. All recommendations on the use of Metroll products are made without guarantee as conditions of use are beyond the control of Metroll Pty Ltd. It is the customers responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable. Metroll Pty Ltd. pursues a policy of continuous development and reserves the right to amend specifications without prior notice. The Metroll M and Logo are registered trademarks of Metroll Pty Ltd.

COLORBOND®, ZINCALUME®, GALVASPAN® steels are all registered trademarks of BlueScope Steel Limited.