



Metroll®

BETTER SERVICE • BETTER BUILDING SOLUTIONS

PRODUCT CATALOGUE

SEPTEMBER 2026



ROOFING & WALLING

ROOFING ACCESSORIES



RAINWATER GOODS

PURLINS & STRUCTURAL



HOME IMPROVEMENTS

INSULATED PANELS

**BATTENS, TOP HATS
& STUD FRAMES**



STEEL FENCING



STEEL BUILDING PRODUCTS

METROLL NEWCASTLE
268 Macquarie Road
Warners Bay, NSW 2282

EMAIL: sales@metrollmetal.com

PHONE: 02 4954 5799



CONTENTS

	ROOFING & WALLING PRODUCT SELECTION TABLES	3
	PRODUCT LEAD TIMES	5
ROOFING, WALLING & ACCESSORIES	ROOFING & WALLING	7
	ROOFING & WALLING FASTENERS	9
	CURVING & BULLNOSING	11
RAINWATER GOODS	RAINWATER GOODS	12
	CUSTOM FLASHINGS	19
STEEL FRAMING	STUD FRAMING & COMPONENTS	27
PURLINS & STRUCTURAL	PURLINS & GIRTS	28
	BRIDGING & ACCESSORIES	30
FENCING	COLORBOND® STEEL FENCING	31
HOME IMPROVEMENTS	INSULATED ROOFING & PATIOS	33
	INSULATED ROOFING FLASHINGS	37
	ACCESSORIES	38
	FIBREGLASS & POLYCARBONATE ROOFING	40
	METROLL KEY TERMS OF SALE	41
	DELIVERY SERVICE OFFER	42
	METROLL VEHICLE LOADING GUIDE	45
	DELIVERY TERMS & CONDITIONS	BACK COVER

METROLL NEWCASTLE PRODUCT SELECTION TABLES

These charts show material/colour availability for products. Please note stocked items are subject to availability and scheduling.
Please check item availability with Metroll.

COLORBOND® COLOUR - See page 6 for Colour Codes																			OTHER	
PRODUCT	BMT	BA	BG	CC	CN	DO	DW	DU	EH	GU	IS	JP	MR	MM	NS	PE	PB	SH	ZA	GA
ROOFING & WALLING																				
Corodek®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metlok 700®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metlok® HP	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metrib®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metroclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metrospan®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mini Corodek®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Trimclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RAINWATER GOODS																				
Fascia Gutter	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metal Fascia	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fascia Cover	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
High Front Quad Gutter	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Half Round Gutter	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Downpipes	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Flashings	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Roll Top Ridge	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

		COLORBOND® COLOUR					ULTRA COLOUR							MATT			OTHER	
PRODUCT	BMT	SO	SM	WA	WS	WG	DU	MM	SH	SM	WA	WS	WG	BAM	SHM	MMM	ZA	GA
ROOFING & WALLING																		
Corodek®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓
Metlok 700®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓
Metlok® HP	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓
Metrib®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metroclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metrospan®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓
Mini Corodek®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Trimclad®	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓
RAINWATER GOODS																		
Fascia Gutter	0.42	✓	✓	✓	✓	✓								✓	✓	✓	✓	✓
Metal Fascia	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fascia Cover	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
High Front Quad Gutter	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Half Round Gutter	0.42	✓	✓	✓	✓	✓								✓	✓	✓	✓	✓
Flatback Half Round Gutter	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Downpipes	-	✓	✓	✓	✓	✓											✓	✓
Flashings	0.55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Roll Top Ridge	0.42	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

PRODUCT SPECIFICATION TABLE

NOTES:
*Maximum Spans are based on N2 Wind Category and 1.5mm substrate.
**Minimum Overhang is 50mm.
***Plain Overhangs limited to 20% of adjacent end span.
***Stiffened Overhangs limited to 33% of adjacent end span.

PROFILE	BMT mm	STEEL BASE MPa	MASS kg/m²		COVER WIDTH mm	PROFILE DEPTH mm	Minimum Pitch °	MAX. SPANS mm ´		OVERHANG mm ¨	
			CB	ZA				END	INTERNAL	PLAIN	STIFFENED
ROOFING											
Corodek®	0.42	G550	4.30	4.56	762	16	5 (1 in 12)	900	1200	200	250
	0.48		4.88	4.81				1300	1700	250	250
	0.6		5.95	5.88				1600	1800	200	250
Metlok 700®	0.42	G550	4.68	4.61	695	40	1 (1 in 50)	1800	2200	150	450
	0.48		5.32	5.24				2200	2800	200	500
Metlok® HP	0.42	G550	4.68	4.61	695	40	1 (1 in 50)	1700	2100	250	500
	0.48		5.32	5.24				2200	2700	300	600
Metrospan®	0.42	G550	4.68	4.61	700	24	2 (1 in 30)	1800	2400	200	400
	0.48		5.32	5.24				2200	3000	250	500
Trimclad®	0.42	G550	4.30	4.23	762	29	2 (1 in 30)	1350	1900	150	300
	0.48		4.88	4.81				1900	2600	200	350
WALLING											
Corodek®	0.42	G550	4.30	4.23	762	16		2200	2700	200	300
	0.48		4.88	4.81				2400	2700	250	350
	0.6		5.95	5.88				2200	2700	200	300
Metlok 700®	0.42	G550	4.68	4.61	695	40		2200	2200	200	450
	0.48		5.32	5.24				2400	2700	250	500
Metlok® HP	0.42	G550	4.68	4.61	695	40		1750	2100	300	500
	0.48		5.32	5.24				2200	2700	350	600
Metrib®	0.42	G550	3.86	3.80	850	4		1000	1250	150	150
Metroclad®	0.42	G550	3.79	3.73	864	11		1400	1750	150	200
Metrospan®	0.42	G550	4.68	4.61	700	24		2400	3000	200	400
Mini Corodek®	0.42	G550	3.97	3.91	825	6		1150	1450	100	100
Trimclad®	0.42	G550	4.30	4.23	762	29		2400	3000	200	300
	0.48	G550	4.88	4.81			2400	3000	250	350	

MATERIAL COMPATIBILITY TABLES

ROOF OR RAINWATER MATERIAL	DIRECT MATERIAL CONTACT									DRAINAGE FROM UPPER SURFACE TO LOWER SURFACE								
	Accessory, Fastener or Upper Surface									Accessory, Fastener or Upper Surface								
	ZINCALUME®	Galvanised	Zinc	COLORBOND® Steel	SUPERDURA® Stainless Steel	Stainless Steel	Aluminium Alloys	Copper & Alloys	Lead	ZINCALUME®	Galvanised	Zinc	COLORBOND® Steel	SUPERDURA® Stainless Steel	Stainless Steel	Aluminium Alloys	Copper & Alloys	Lead
ZINCALUME®	✓	✓	✓	✓	✗	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
Galvanised	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✓
Zinc	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✓
COLORBOND® Steel	✓	✓	✓	✓	✗	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
SUPERDURA® Stainless Steel	✗	✗	✗	✗	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stainless Steel	✗	✗	✗	✗	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Aluminium Alloys	✓	✓	✓	✓	✗	✗	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗
Copper & Alloys (C&A)	✗	✗	✗	✗	✗	✗	✗	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
Lead (L)	✗	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

METROLL NEWCASTLE - PRODUCT LEAD TIMES

PRODUCT	ORDER DAY	MANUFACTURE DAY	DELIVER & PICK UP
ROOFING & WALLING			
Corodek®	TODAY	TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
Trimclad®		TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
Metrospan®		TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
Metlok 700®		TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
Metlok HP®		ORDERED IN	NEXT CONSECUTIVE FRIDAY
Metrib®		ORDERED IN	NEXT CONSECUTIVE FRIDAY
Metroclad®		ORDERED IN	NEXT CONSECUTIVE FRIDAY
Mini Corodek®		ORDERED IN	NEXT CONSECUTIVE FRIDAY
0.60 Corodek® Curving		MONDAY	NEXT CONSECUTIVE TUESDAY
RAINWATER GOODS			
Gutters	TODAY	TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
Roll Top Ridge Cap		TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
Metroline Fascia		TOMORROW	Pick Up: Next Day After 7 am. Delivery: Following Day
SHEET METAL FABRICATION			
Flashings	TODAY	TOMORROW	Pick Up: Next Day After 9 am. Delivery: Following Day
Fabricated	TODAY	NEXT 2 DAYS	3 Day Lead Time. Pick Up After 9 am
STORES			
Fasteners	TODAY	STOCK	Immediately. Check with Sales Office for large orders
Fibreglass Hip		ORDERED IN	1 Week Lead Time. Contact Sales Office
Leaf Guard		TOMORROW	FOLLOWING DAY
Insulation		ORDERED IN	Following Day. Check with Sales Office for large/special orders
Vents		ORDERED IN	FOLLOWING DAY
Stock Accessories		STOCK	Immediately. Check with Sales Office for large orders
FIBREGLASS & POLYCARBONATE			
Fibreglass	TODAY	ORDERED IN	FOLLOWING DAY
Polycarbonate		ORDERED IN	
Twin Wall		ORDERED IN	1 Week Lead Time. Contact Sales Office
STEEL FRAME COMPONENTS			
Trim Angle	TODAY	STOCK	Immediately. Check with Sales Office for large orders
Battens - Stock Item		STOCK	Immediately. Check with Sales Office for large orders
Battens - Non Stock Item		TOMORROW	Following Day. Check with Sales Office for large/special orders
Steel Frame		ORDERED IN	1 Week Lead Time. Contact Sales Office
Metrodeck		ORDERED IN	1 Week Lead Time. Contact Sales Office
PURLINS & GIRTS			
Purlin 100mm wide	TODAY	MONDAY, TUESDAY	WEDNESDAY
Purlin 150mm wide		WEDNESDAY	FRIDAY
Purlin 200mm wide		THURSDAY	MONDAY
Purlin 250mm wide		FRIDAY	TUESDAY

STOCK items must be ordered by 12pm for Next Day Delivery.

Orders received after 3:30 pm will be processed on the following day. Pick-ups are possible next day for some items. Please confirm with Sales when order is placed. All lead times are indicative only and may change to varying or abnormal workloads. Excludes Saturdays, Sundays and Public Holidays.

METROLL NEWCASTLE - PRODUCT LEAD TIMES

PRODUCT	ORDER DAY	MANUFACTURE DAY	DELIVER & PICK UP
FENCING			
Fencing - Stock Item	TODAY	STOCK	NEXT DAY
Fencing - Non Stock Item		TOMORROW	1 Week Lead Time. Check with Sales Office
MAC Atlas, Polaris & Gemini Available in 0.40 BMT Monument® & Woodland Grey® only		3 DAYS	FOLLOWING DAY
Gates		ORDERED IN	2 Week Lead Time. Contact Sales Office
INSULATED ROOFING & PATIOS			
Insulroof® 3 Week Lead Time	TODAY	ORDERED IN	Lead Time applies. Deliveries received to Metroll Newcastle on TUESDAY & THURSDAY. Check with Sales Office.
Solarspan® 2 Week Lead Time		ORDERED IN	
Flat Pan		ORDERED IN	
W Pan		ORDERED IN	
Maxi Beam		ORDERED IN	2 Week Lead Time. Deliveries received to Metroll Newcastle on TUESDAY & THURSDAY. Check with Sales Office.
Posts		ORDERED IN	
Flashings		TOMORROW	Pick Up: Next Day After 9 am. Delivery: Following Day

STOCK items must be ordered by 12pm for Next Day Delivery.
Orders received after 3:30 pm will be processed on the following day. Pick-ups are possible next day for some items. Please confirm with Sales when order is placed.
All lead times are indicative only and may change to varying or abnormal workloads. Excludes Saturdays, Sundays and Public Holidays.

MATERIAL TYPE COLOUR CODES

COLORBOND® COLOUR	CODE	MATT COLOURS	CODE
Basalt®	BA	Matt Basalt®	BAM
Blue Gum®	BG	Matt Shale Grey™	SHM
Classic Cream™	CC	Matt Monument®	MMM
Cottage Green®	CN	ULTRA COLOURS	
Deep Ocean®	DO	Dune®	DU
Dover White™	DW	Monument®	MM
Dune®	DU	Shale Grey™	SH
Evening Haze®	EH	Surfmist®	SM
Gully®	GU	Wallaby®	WA
Ironstone®	IS	Windspray®	WS
Jasper®	JP	Woodland Grey®	WG
Manor Red®	MR		
Monument®	MM		
Night Sky®	NS		
Pale Eucalypt®	PE		
Paperbark®	PB		
Shale Grey™	SH		
Southerly®	SO		
Surfmist®	SM		
Wallaby®	WA		
Windspray®	WS		
Woodland Grey®	WG		

FENCING SELECTION TABLE

		FENCING INFILL SHEETS	POSTS & RAILS
COLORBOND® COLOUR	CODE	0.35 BMT	0.80 BMT
Basalt®	BA	✓	✓
Blue Gum®	BG	✓	✓
Cottage Green®	CN	✓	✓
Deep Ocean®	DO	✓	✓
Domain®	DN	✓	✓
Dune®	DU	✓	✓
Evening Haze®	EH	✓	✓
Ironstone®	IS	✓	✓
Jasper®	JP	✓	✓
Manor Red®	MR	✓	✓
Monument®	MM	✓	✓
Night Sky®	NS	✓	✓
Pale Eucalypt®	PE	✓	✓
Paperbark®	PB	✓	✓
Riversand®	RI	✓	✓
Shale Grey™	SH	✓	✓
Surfmist®	SM	✓	✓
Wilderness®	WL	✓	✓
Wollemi®	WO	✓	✓
Woodland Grey®	WG	✓	✓

MATERIAL CODES

ZINCALUME® steel	ZA
Galvanised steel	GA

FIBREGLASS SHEETING COLOUR CODES




Clear	CL
Opal	OP
Storm Grey	WG

POLYCARBONATE SHEETING COLOUR CODES

Clear/Solarfrost Clear	CL	Silvermist	SS
Dark Tint	DT	Smooth Cream	CC
Grey	GR	Smoke	SM
Light Bronze	BR	Solarfrost Grey	SG
Opal	OP	Pearl Ice	SPECIAL ORDER

ROOFING & WALLING


WHERE ## APPEARS USE CODES TO IDENTIFY MATERIAL COLOUR
TOLERANCE: +/- 0 - 15mm
LENGTHS GREATER THAN 23m ARE AVAILABLE EX METROLL SYDNEY BRANCH
PRODUCTS EX METROLL SYDNEY HAVE A 1 - 2 WEEK LEAD TIME
NO BROADSHEET PROFILES AVAILABLE IN GALVANISED

PRODUCT & MATERIAL		PRODUCT CODE	
CORODEK®			Cover: 762mm Sheet Height: 16mm Min. Pitch: 5° Max. Length: 21m
COLORBOND®	0.42 BMT	042##COROHTV	 
	0.48 BMT	048##COROHTV	
DOUBLE SIDED (SYD) Surfmist® & Classic Cream™		042CBCORODSV	
COLORBOND® Matt 0.42 BMT		042##MCOROHV	
COLORBOND® Ultra	0.42 BMT	042UT##COROV	
	0.48 BMT	048UT##COROV	
TRIMCLAD®			Cover: 762mm Sheet Height: 29mm Min. Pitch: 2° Max. Length: 26m
COLORBOND®	0.42 BMT	042##TRIMHTV	   LOKSEAL™ FOR TRIMCLAD®
	0.48 BMT	048##TRIMHTV	
DOUBLE SIDED (SYD) Surfmist® & Classic Cream™		042CBTRIMDSV	
COLORBOND® Matt 0.42 BMT		042##MTRIMHV	
COLORBOND® Ultra	0.42 BMT	042UT##TRIMV	
	0.48 BMT	048UT##TRIMV	
Lokseal™ for Trimclad®		TRIMLOKSEAL	
METROCLAD® 850			ORDER EX SYDNEY Cover: 850mm Sheet Height: 12mm Min. Length: 700mm Max. Length: 5000mm NO WARRANTY FOR LENGTHS OVER 5000mm
COLORBOND® 0.42 BMT		042##MCLADHV	 
ZINC 0.42 BMT		042ZAMCLADHV	
COLORBOND® Matt 0.42 BMT		042##MMCLADV	
COLORBOND® Ultra 0.42 BMT		042U##MCLADV	
METRIB® WALLING ONLY			ORDER EX SYDNEY Cover: 850mm Sheet Height: 4mm Min. Length: 700mm Max. Length: 5000mm NO WARRANTY FOR LENGTHS OVER 5000mm
COLORBOND® 0.42 BMT		042##METRIBV	 
ZINC 0.42 BMT		042ZAMETRIBV	
COLORBOND® Matt 0.42 BMT		042##MMETRIV	
COLORBOND® Ultra 0.42 BMT		042U##METRIV	
METROSPAN®			Cover: 700mm Sheet Height: 24mm Min. Pitch: 2° Max. Length: 23m
COLORBOND® 0.42 BMT		042##MSPANHV	 
COLORBOND® 0.48 BMT		048##MSPANHV	
COLORBOND® Matt 0.42 BMT		042##MMSPANV	
COLORBOND® Ultra	0.42 BMT	042UT##MSPAV	
	0.48 BMT	048UT##MSPAV	

Refer to the Colour & Product Selection Tables located at the front of this brochure. Always check product availability when ordering.

ROOFING & WALLING


WHERE ## APPEARS USE CODES TO IDENTIFY MATERIAL COLOUR
TOLERANCE: +/- 0 - 15mm
LENGTHS GREATER THAN 23m ARE AVAILABLE EX METROLL SYDNEY BRANCH
PRODUCTS EX METROLL SYDNEY HAVE A 1 - 2 WEEK LEAD TIME
NO BROADSHEET PROFILES AVAILABLE IN GALVANISED

PRODUCT & MATERIAL		PRODUCT CODE	
METLOK 700® VG4			Cover: 700mm Sheet Height: 40mm Min. Pitch: 1° Max. Length: 26m
COLORBOND®	0.42 BMT	042##700METV	 
	0.48 BMT	048##700METV	
COLORBOND® Matt 0.42 BMT		042##M700MEV	
COLORBOND® Ultra	0.42 BMT	042U##700MTV	
	0.48 BMT	048U##700MTV	 METLOK 700® VG4 CLIP
Metlok® Clip 1.5 per m²		MCLIPP700-T2	 LOKSEAL™ FOR METLOK 700® VG4
SCREWS 3 PER CLIP	TIMBER	T171225N	
	METAL	TEK1230N	
Lokseal™ for Metlok 700® VG4		METLOKSEAL	
METLOK® HP ORDER EX SYDNEY			Cover: 695mm Sheet Height: 40mm Min. Pitch: 1° Max. Length: 22.5m
COLORBOND®	0.42 BMT	042##HPMEHTV	
	0.48 BMT	048##HPMEHTV	
COLORBOND® Matt		042##UHPMETV	
COLORBOND® Ultra	0.42 BMT	042U##HPMHTV	
	0.48 BMT	048U##HPMHTV	 METLOK® HP CLIP
Metlok® HP Clip		NEWMCLIP700	 LOKSEAL™ FOR METLOK® HP
Lokseal™ for Metlok® HP		HPMETLOKSEAL	
MINI CORODEK® ORDER EX SYDNEY			Cover: 852mm Sheet Height: 6mm Min. Length: 700m Max. Length: 5000mm NO WARRANTY FOR LENGTHS OVER 5000mm
COLORBOND® 0.42 BMT		MC##042PERMV	
ZINC 0.42 BMT		MCZA042PERMV	
COLORBOND® Matt 0.42 BMT		MC##M042PEMV	
COLORBOND® Ultra 0.42 BMT		MCUT##042PMV	

Refer to the Colour & Product Selection Tables located at the front of this brochure. Always check product availability when ordering.

ROOFING & WALLING FASTENERS


*USE COLOUR CODES WHERE ## APPEARS

ITEM	TYPE	PRODUCT CODE*	
Type 17 No. 12 x 25HN Timber Screw	Coloured	T171225##	
	Plain	T171225N	
	Neo	T171225	
Type 17 No. 12 x 25 Plain Wafer Head Timber Screw		T171025CR	
Type 17 No. 12 x 50HN Hi Grip Class 4	Coloured	T171250##C4	
	Plain	T171250Z	
Type 17 No. 12 x 65HN Hi Grip Class 4	Coloured	T17265##	
	Plain	T171265	
Tek No. 12 x 35HN Hi Grip	Coloured	TEK1235##	
	Plain	TEK1235	
Tek No. 12 x 30HN Hi Grip	Plain	TEK1230	
	No Neo	TEK1230N	
Tek No. 12 x 20HN Climaseal	Plain Only	TEK1220N	
Tek No. 10 x 22 Cross Recessed		TEK1022CR	
Tek No. 10 x 16 No Neo Cross Recessed		TEK1016CR	
Tek No. 10 x 16H	Coloured	TEK1016##	
	Plain	TEK1016	
	Coloured Neo	TEK1016##N	
	Plain Neo	TEK1016N	
Designer Head Tek 10 - 16 x 25mm	Neo	TEKD1025##C4	
Autotek M5.5 x 50	Coloured	ATM5550##C4	
	Plain	ATM5550C4	
Batten Zip M5.5 x 40 Class 3		BZM5540C4	
Vortex Roof Screw (B8) C4 Neo M6 x 25	Coloured	VRB8M625##C4	
	Plain	VRB8M625ZAC4	
Vortex Roof Screw (B8) C4 Neo M6 x 50	Coloured	VRB8M650##C4	
	Plain	VRB8M650C4	
Vortex Roof Screw (B8) C4 Neo M6 x 65	Coloured	VRB8M665##C4	
	Plain	VRB8M665ZC4	
Tek No. 12 x 32 Series 500		TEK1232S	
Tek No. 12 x 50 Series 500		TEK1250S	
Ripple Tek No. 10 x 20 (suitable for Mini Corodek®)	Coloured	RZ25##C4	
	Plain	RZ25ZC4	
Plaster Board Screw 6G x 25 Zinc		PBS625ZANP	
Aluminium Rivets 3.2mm dia.	Coloured	RIV##	
	Plain	RIV	

ROOFING & WALLING FASTENERS

PRODUCT	APPROX. FASTENERS	WALL ONLY FASTENERS (VALLEY FIX)	ROOF & WALL FASTENERS (CREST FIX)
CORODEK®			
Fix to Timber Supports	7	#12 x 25mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 25mm Hex Head Universal Screw + EPDM Washer	#12 x 50mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 50mm Hex Head Universal Screw + EPDM Washer
Fix to Metal Supports 0.48 - 1.5mm		M6 x 25mm Hex Head Universal Fastener + EPDM Washer	M6 x 50mm Hex Head Universal Fastener + EPDM Washer
Fix to Steel Supports 1.5 - 4.5mm		#12 x 20mm Hex Head Self Drilling Screw+ EPDM Washer	#12 x 35mm Hex Head Self Drilling Screw + EPDM Washer
Side Lap Fasteners (where required)		#10 x 16mm Hex Head Self Drilling Screw + EPDM Washer, OR 3.2mm Sealed Blind Aluminium Rivet	
TRIMCLAD®			
Fix to Timber Supports	7	#12 x 25mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 25mm Hex Head Universal Screw+ EPDM Washer	#12 x 65mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 65mm Hex Head Universal Screw+ EPDM Washer
Fix to Metal Supports 0.48 - 1.5mm		M6 x 25mm Hex Head Universal Screw + EPDM Washer	M6 x 50mm Hex Head Universal Screw + EPDM Washer
Fix to Steel Supports 1.5 - 4.5mm		#12 x 20mm Hex Head Self Drilling Screw + EPDM Washer	#12 x 50mm Hex Head Self Drilling Screw + EPDM Washer
Side Lap Fasteners (where required)		#10 x 16mm Hex Head Self Drilling Screw + EPDM Washer, OR 3.2mm Sealed Blind Aluminium Rivet	
METROSPAN®			
Fix to Timber Supports	7	#12 x 25mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 25mm Hex Head Universal Screw + EPDM Washer	#12 x 55mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 65mm Hex Head Universal Screw + EPDM Washer
Fix to Metal Supports 0.48 - 1.5mm		M6 x 25mm Hex Head Universal Screw + EPDM Washer	M6 x 50mm Hex Head Universal Screw + EPDM Washer
Fix to Steel Supports 1.5 - 4.5mm		#12 x 20mm Hex Head Self Drilling Screw+ EPDM Washer	#12 x 50mm Hex Head Self Drilling Screw+ EPDM Washer
Side Lap Fasteners (where required)		#10 x 16mm Hex Head Self Drilling Screw + EPDM Washer, OR 3.2mm Sealed Blind Aluminium Rivet	
METLOK 700® VG4 & METLOK® HP			
ROOF & WALL FASTENERS		Fix to Timber Supports (Hard or Soft)	#12 Hex Head Type 17 x 25mm. Add 10mm for softwood
		Fix to Metal Supports 0.48 - 1.5mm	#12 Hex Head Zip Screws x 25mm
		Fix to Steel Supports 1.5 - 4.5mm	#12 Hex Head Self Drilling Screws x 25mm
METROCLAD® · WALL ONLY			
WALL FASTENERS		Fix to Timber Supports	#10 x 25mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 25mm Hex Head Universal Screw+ EPDM Washer
		Fix to Metal Supports 0.48 - 1.5mm	M6 x 25mm Hex Head Universal Fastener + EPDM Washer
		Fix to Steel Supports 1.5 - 4.5mm	#10 x 16mm Hex Head Self Drilling Screw + EPDM Washer
Side Lap Fasteners (where required)		#10 x 16mm Hex Head Self Drilling Screw + EPDM Washer, OR 3.2mm Sealed Blind Aluminium Rivet	
MINI CORODEK® · WALL ONLY			
WALL FASTENERS		Fix to Timber Supports	#10 x 25mm Wafer Head Type 17 Screw, OR #10 x 25mm Ripple Universal Screw
		Fix to Metal Supports 0.48 - 1.5mm	#10 x 25mm Ripple Universal Screw
		Fix to Steel Supports 1.5 - 4.5mm	#10 x 16mm Wafer Head Self Drilling Screw
Side Lap Fasteners (where required)		3.2mm Sealed Blind Aluminium Rivet	
METRIB® · WALL ONLY			
WALL FASTENERS		Fix to Timber Supports	#10 x 25mm Hex Head Type 17 Screw + EPDM Washer, OR M6 x 25mm Hex Head Universal Screw + EPDM Washer
		Fix to Metal Supports 0.48 - 1.5mm	M6 x 25mm Hex Head Universal Screw + EPDM Washer
		Fix to Steel Supports 1.5 - 4.5mm	#10 x 16mm Hex Head Self Drilling Screw + EPDM Washer
ROOF BATTENS			
Fix to Timber Supports	8	BattenZIPS® M5.5 x 40mm Hex Head	Metal Tek® 12 - 14 x 20mm Hex Head
Fix to Steel 1 - 4mm BMT			
FIX POLYCARBONATE ROOFING			
See manufacturers recommendations		PolyZIPS® M6.5 - 14 x 50mm Hex Head	
FIX FIBREGLASS ROOFING			
See manufacturers recommendations		Fibreglass Tek® M6.5 - 14 x 65mm Hex Head	


CURVING & BULLNOSING

ITEM	DESCRIPTION	PRODUCT CODE	
0.60 CORODEK® MINIMUM ROOF PITCH 5°	0.60 BMT	060##CORCURV	
Curving Codes	Up to 3m	CC3	
	3 - 4m	CC4	
	4 - 6m	CC6	
	6 - 8m	CC8	
	8 - 10m	CC10	
	10 - 12m	CC12	
	Over 12m	CC12PLUS	
	Full Circles	CCF	
	Half Circles = Relevant Sheet Length \$ + per sheet	CCH	
Curving Styles			

CURVING DETAILS

DETAILS REQUIRED WHEN CURVING:

- Awning Width (A)
- Radius (B)
- Roof Pitch° (C)
- Awning Rise (D)
- Straight Vertical Lead (E)
- Number of sheets required
- Sheet Length
- Colour or Finish
- Stipulate Colour Underside or Topside
- Direction of Laying L to R or R to L
- Does the bullnose sheet end lap a straight sheet? Y or N
- Is a template supplied? Y or N



NOTE: Metroll takes no responsibility for variances on sheets curved from drawings. A template should be supplied to ensure accuracy. The minimum recommended curving radius is 450mm.

CURVED FLASHINGS


1 WEEK LEAD TIME. ENQUIRE FOR COLOUR AVAILABILITY. MINIMUM RECOMMENDED CURVING RADIUS IS 450mm. METROLL WILL NOT WARRANT/BE HELD LIABLE FOR PERFORMANCE/AESTHETICS FOR RADIUS LESS THAN 450mm

ITEM	DESCRIPTION	PRODUCT CODE	
Hip Capping	300mm 45° & 90° Corner	FFH3CB	
	400mm 45° & 90° Corner	FFH4CB	
	500mm 45° & 90° Corner	FFH5CB	
	600mm 45° & 90° Corner	FFH6CB	
Metal Hip - Zinc	2400 Straight Length	SR2MZA	
Metal Hip - Colour	2400 Straight Length	SR2M##	
Curved Metal Barges Specify LH or RH	Color	CFCMBCAPS##V	
	Ultra	CFCMBCPUT##V	
End Aprons Specify LH or RH	Color	CF##CMEAPROV	
	Ultra	CFCMBCPUT##V	






RAINWATER GOODS

115 High Front Quad Gutter

*USE COLOUR CODES WHERE ## APPEARS
GUTTERS ARE NOT AVAILABLE IN GALVANISED

ITEM	MATERIAL	PRODUCT CODE *	UNIT	
115 High Front Quad Gutter PLAIN	COLORBOND®	QGHF##PERMTV	Per l/m	
	COLORBOND® Matt	QGHF##MPERMV		
	COLORBOND® Ultra	QGHF##UPERMV		
115 High Front Quad Gutter SLOTTED	COLORBOND®	QGHF##SLOTMV		
	COLORBOND® Matt	QGHF##MSLOTV		


115 HIGH FRONT QUAD GUTTER ACCESSORIES

Concealed Bracket		QGHFIB	ea	 CONCEALED BRACKET	 HIGH FRONT QUAD OVERSTRAP
High Front Quad Overstrap	COLORBOND®	QGHFOS	ea		
	COLORBOND® Ultra	QGHFUOS	ea	 SPRING CLIP	 EXTERNAL BRACKET
Spring Clip	COLORBOND®	QGCC	ea		
	COLORBOND® Ultra	QGCCU	ea	 90° PRESSED INTERNAL ANGLE	 90° PRESSED EXTERNAL ANGLE
External Brackets		QGHFB##	ea		
90° Pressed Internal Angle x 2 PIECES	COLORBOND®	QGHFIA##	ea	 90° PRESSED INTERNAL ANGLE	 90° PRESSED EXTERNAL ANGLE
	COLORBOND® Ultra	QGHFIA##U	ea		
90° Pressed External Angle x 2 PIECES	COLORBOND®	QGHFEA##	ea	 90° PRESSED EXTERNAL ANGLE	 LEFT HAND STOP END
	COLORBOND® Ultra	QGHFEA##U	ea		
Left Hand Stop End Plate	COLORBOND®	QGHFLHSE##	ea	 RIGHT HAND STOP END	
	COLORBOND® Ultra	QGHFLHSE##U	ea		
Right Hand Stop End Plate	COLORBOND®	QGHFRHSE##	ea	 LEFT HAND STOP END	
	COLORBOND® Ultra	QGHFRHSE##U	ea		


RAINWATER GOODS

150 Half Round Gutter

*USE COLOUR CODES WHERE ## APPEARS
GUTTERS ARE NOT AVAILABLE IN GALVANISED

ITEM	MATERIAL	PRODUCT CODE*	UNIT	
150 Half Round Gutter PLAIN	COLORBOND®	HR##150PERMV	Per l/m	 
	COLORBOND® Matt	HR##M150PRMV		
150 Half Round Gutter SLOTTED	COLORBOND®	HR##150SLOTV		
	COLORBOND® Matt	HR##M150SLOTV		


150 HALF ROUND GUTTER ACCESSORIES

90mm Nozzle TO SUIT HALF ROUND & FLAT BACK GUTTERS	HRDN##90	ea	 NOZZLE  150 HALF ROUND EXTERNAL BRACKET  90° INTERNAL ANGLE  90° EXTERNAL ANGLE  150 HALF ROUND STOP END
External Brackets	HRB150##	ea	
90° External Angle x 2 PIECES	HREA150##	ea	
90° Internal Angle x 2 PIECES	HRIA150##	ea	
Left Hand Stop End Plate	HRSE150LH##	ea	
Right Hand Stop End Plate	HRSE150RH##	ea	

RAINWATER GOODS

150 Flat Back Half Round Gutter

*USE COLOUR CODES WHERE ## APPEARS
GUTTERS ARE NOT AVAILABLE IN GALVANISED

ITEM	MATERIAL	PRODUCT CODE *	UNIT	
150 Flat Back Half Round Gutter PLAIN	COLORBOND®	FBHR##150PMV	Per l/m	
	COLORBOND® Matt	FBHR##M150MV		
	COLORBOND® Ultra	FBHR##UPERMV		
150 Flat Back Half Round Gutter SLOTTED	COLORBOND®	FBHR##150SLV		
	COLORBOND® Matt	FBHR##M150LV		

150 FLAT BACK HALF ROUND GUTTER ACCESSORIES

90mm Nozzle TO SUIT HALF ROUND & FLAT BACK GUTTERS		HRDN##90	ea	 NOZZLE
90° External Angle x 2 PIECES	COLORBOND®	FBEA150##	ea	 90° INTERNAL ANGLE
	COLORBOND® Ultra	FBEA150##U	ea	
90° Internal Angle x 2 PIECES	COLORBOND®	FBIA150##	ea	 90° EXTERNAL ANGLE
	COLORBOND® Ultra	FBIA150##U	ea	
Left Hand Stop End Plate	COLORBOND®	FBSE150LH##	ea	 150 FLAT BACK HALF ROUND STOP END
	COLORBOND® Ultra	FBSE150LH##U	ea	
Right Hand Stop End Plate	COLORBOND®	FBSE150RH##	ea	 FLAT BACK CONCEALED BRACKET
	COLORBOND® Ultra	FBSE150RH##U	ea	
Flat Back Concealed Bracket		FB150CBZA	ea	 FLAT BACK OVERSTRAP
Flat Back Overstrap	COLORBOND®	FB150OSZA	ea	
	COLORBOND® Ultra	FB150UOSZA	ea	

RAINWATER GOODS

Fascia Gutter

*USE COLOUR CODES WHERE ## APPEARS
GUTTERS ARE NOT AVAILABLE IN GALVANISED

ITEM	MATERIAL	PRODUCT CODE*	UNIT	
Fascia Gutter PLAIN	COLORBOND®	FG##PERMETRV	Per l/m	
	COLORBOND® Matt	FG##MPERMTRV		
Fascia Gutter SLOTTED	COLORBOND®	FG##SLOTPMTV		
	COLORBOND® Matt	FG##MSLOTPMV		

FASCIA GUTTER ACCESSORIES

Fascia Gutter Bracket	FGBSZA	ea	
Fascia Gutter Stiffener	FGSZAN	ea	
Old Style Fascia Gutter Stiffener	FGSZA	ea	
Fascia Gutter Left Hand Stop End Plate	FGSELH##	ea	
Fascia Gutter Right Hand Stop End Plate	FGSERH##	ea	

DOWNPIPES & ACCESSORIES

*USE COLOUR CODES WHERE ## APPEARS

ITEM	SIZE	PRODUCT CODE*	
Rectangular Downpipe 2400mm	100 x 50	DP1050##24	
	100 x 75	DP1075##24	
Round Nozzle	60	DN60ZA	
	75	DN75ZA	
	90	DN90ZA	
	100	DN100ZA	
	150	DN150ZA	
Half Round Nozzle	100 x 50	HRDNZA1050	
	100 x 75	HRDNZA1075	
Rectangular Nozzle	100 x 50	DN10050ZA	
	100 x 75	DN10075ZA	
Universal Nozzle	90mm/100 x 75	DNUNI	
Rectangular Astragal	100 x 50	DA10050##	
	100 x 75	DA10075##	




RAINWATER GOODS

Metroline Fascia

*USE COLOUR CODES WHERE ## APPEARS
GUTTERS ARE NOT AVAILABLE IN GALVANISED

ITEM	MATERIAL/UNIT	PRODUCT CODE*	
Metroline Metal Fascia Per l/m	COLORBOND®	MFAS##PERMTV	
	COLORBOND® Matt	MFAS##MPERTV	
	COLORBOND® Ultra	MFAS##UPERMV	
Metroline Fascia Cover Per l/m Minimum Length 2000mm Maximum Length 8000mm	COLORBOND®	FASCOV##PMTV	
	COLORBOND® Matt	MFAC##MPERTV	
	COLORBOND® Ultra	MFAC##UPERTV	


METROLINE FASCIA ACCESSORIES

Fascia Rafter Bracket	ea	MFB	 FASCIA RAFTER BRACKET  SPRING CLIP  HIGH FRONT QUAD OVERSTRAP  BARGE MITRE  EXTERNAL MITRE  INTERNAL COVER CAP  INTERNAL JOINING SLEEVE
Spring Clips	COLORBOND®	QGCC	
	COLORBOND® Ultra	QGCCU	
High Front Quad Overstrap	COLORBOND®	QGHFOS	
	COLORBOND® Ultra	QGHFUOS	
External Mitre	COLORBOND®	MFEM##	
	COLORBOND® Ultra	MFEM##U	
Barge Mitre Left Hand	COLORBOND®	MFBMLH##	
	COLORBOND® Ultra	MFBMLH##U	
Barge Mitre Right Hand	COLORBOND®	MFBMRH##	
	COLORBOND® Ultra	MFBMRH##U	
Internal Cover Cap	COLORBOND®	MFICC##	
	COLORBOND® Ultra	MFICC##U	
Internal Joining Sleeve	ea	MFIJ	
External Apex Cover	COLORBOND®	MFAC##	
	COLORBOND® Ultra	MFAC##U	

RAINWATER GOODS

Graptor

The easiest way to comply with Australian Standards and mandatory gutter overflow requirements of the Building Code - with no slots required.




- Fully compliant solution using a plain faced gutter profile:
 - Increased rainwater collection
 - Aesthetically pleasing
- Reduce downpipe requirements and save costs.
- Concealed fix bracketing promotes clean, straight lines.
- Independently tested and fully certified.
- The Graptor bracketing system is suitable for:
 - Quad 115 High Front Gutter
 - Skyline Gutter
 - Big M Gutter - QLD only
- Suitable for metal and timber fascia.
- Clip-on to new builds - metal fascia.
- Screw fix for retrofit - metal and timber fascia.
- Quick, simple and cost effective.
- Compatible with slotted gutter options.

The NCC 2019, Part 3.5.2 details that overflow measures are required to prevent water entering or damaging a building **even if the gutter and downpipe system is completely blocked.**

Distributed & designed for Metroll Fascia & Gutter Systems

Visit metroll.com.au

for more information and to locate your local Metroll branch



ITEM	PRODUCT CODE*
GRAPTOR Base for timber fascia	GRAPTORBASE
GRAPTOR Claw for metal fascia	GRAPTORCLAW
GRAPTOR Overstrap - Flat Back	GRAPTOROSHR
GRAPTOR Overstrap - Hi Front	GRAPTOROSQG










SCAN FOR
THE GRAPTOR
INSTALLATION
VIDEO



RAINWATER GOODS







Rain Heads, Sump & Box Gutters

ITEM		DIMENSION D x W x L	PRODUCT CODE*						
Conical Rain Head	Small	300 x 200 x 300mm	RHCONCALSM##		CONICAL RAIN HEAD				
	Medium	300 x 250 x 300mm	RHONCALME##						
	Large	400 x 250 x 400mm	RHCONCALLG##						
	Extra Large	500 x 300 x 500mm	RHCONCALXL##						
Collared Rain Head	Small	300 x 150 x 300mm	RHCOLSM##		COLLARD RAIN HEAD				
	Medium	300 x 250 x 400mm	RHCOLME##						
	Large	450 x 300 x 450mm	RHCOLLG##						
	Extra Large	600 x 300 x 600mm	RHCOLXL##						
Collared & Tapered Rain Head	Small	300 x 150 x 300mm	RHCOLTAPSM##		COLLARD & TAPERED RAIN HEAD				
	Medium	400 x 250 x 400mm	RHCOLTAPME##						
	Large	500 x 300 x 450mm	RHCOLTAPLG##						
	Extra Large	600 x 300 x 600mm	RHCOLTAPXL##						
Tapered Rain Head	Small	300 x 150 x 300mm	RHTAPSM##		TAPERED RAIN HEAD				
	Medium	400 x 250 x 400mm	RHTAPME##						
	Large	500 x 300 x 450mm	RHTAPLG##						
	Extra Large	300 x 300 x 600mm	RHTAPXL##						
Standard Rain Head	Small	300 x 150 x 300mm	RHSTDMS##		STANDARD RAIN HEAD				
	Medium	300 x 250 x 400mm	RHSTDME##						
	Large	450 x 300 x 450mm	RHSTDLG##						
	Extra Large	600 x 300 x 600mm	RHSTDXL##						
Ned Kelly Rain Head	Small	300 x 200 x 300mm	RHNEDKELSM##		NED KELLY RAIN HEAD				
	Medium	300 x 250 x 300mm	RHNEDKELME##						
	Large	400 x 250 x 400mm	RHNEDKELLG##						
	Extra Large	500 x 300 x 500mm	RHNEDKELXL##						
Sump Dam Buster	Small	400 x 300 x 300mm	SUMPDAMSM##		DAM BUSTER SUMP Showing cross-section				
	Medium	400 x 450 x 450mm	SUMPDAMME##						
	Large	400 x 600 x 600mm	SUMPDAMLG##						
	Extra Large	400 x 750 x 750mm	SUMPDAMXL##						
Sump Series 200	Small	200 x 300 x 300mm	SUMPS200SM##		200 & 400 SERIES SUMP				
	Medium	200 x 450 x 450mm	SUMPS200ME##						
	Large	200 x 600 x 600mm	SUMPS200LG##						
	Extra Large	400 x 750 x 750mm	SUMPS200XL##						
Sump Series 400	Small	400 x 300 x 300mm	SUMPS400SM##						
	Medium	400 x 450 x 450mm	SUMPS400ME##						
	Large	400 x 600 x 600mm	SUMPS400LG##						
	Extra Large	400 x 750 x 750mm	SUMPS400XL##						
Box Gutter Board Available in 6000mm lengths only			BOXGUTBOARD						
Adjustable Box Gutter Brackets (Jonda Brackets)	Type 1 250 - 400mm	ABGB1							
	Type 2 400 - 650mm	ABGB2							
	Type 3 650 - 1000mm	ABGB3							
Customised Nozzle	Stainless Steel	CFSSNOZZLE							
	ZINCALUME®	CFZANOZZLE							
	COLORBOND®	CFCBNOZZLE							
	COLORBOND® Ultra	CFUTNOZZLE							
Customised Stop End	Stainless Steel	CUSTSTOPSS	ADJUSTABLE BOX GUTTER BRACKETS						
	ZINCALUME®	CUSTSTOPZA							
	COLORBOND®	CUSTSTOPCB							
	COLORBOND® Ultra	CUSTSTOPUT							

CUSTOM FLASHINGS

Corodek®, Trimclad® & Metlok 700®


- IDENTIFY PROFILE TYPE WHEN ORDERING
- MAXIMUM LENGTH: 8000mm
- *USE COLOUR CODES WHERE ## APPEARS

ITEM			PRODUCT CODE*	
CORODEK® FLASHINGS Per l/m	Roll Top Ridge Cap	COLORBOND®	RR##PERMTRSV	 Roll Top Ridge Cap    Standard Valley
		COLORBOND® Matt	RR##MPERMTRV	
		COLORBOND® Ultra	RRUT##PMTRSV	
	End Apron 300/2F	COLORBOND®	CF##ENDAPROV	
		COLORBOND® Matt	CFM##ENDAPRV	
		COLORBOND® Ultra	CFUT##ENDAPV	
	Barge Cap 300/3F	COLORBOND®	CFBCAPS3F##V	
		COLORBOND® Matt	CFBCAP3FM##V	
		COLORBOND® Ultra	CFBCAPSUT##V	
	Standard Valley 400/3F	COLORBOND®	CF##VALLE3FV	
		COLORBOND® Matt	CFM##VALL3FV	
		COLORBOND® Ultra	CUT##VALLEFV	
TRIMCLAD® FLASHINGS Per l/m	Ridge Cap 400/3F	COLORBOND®	CF##RIDGECAPV	Ridge Cap   
		COLORBOND® Matt	CFM##0400G3V	
		COLORBOND® Ultra	CUT##RIDGCAV	
	End Apron 300/2F	COLORBOND®	CF##ENDAPROV	
		COLORBOND® Matt	CFM##ENDAPRV	
		COLORBOND® Ultra	CFUT##ENDAPV	
	Barge Cap 300/3F	COLORBOND®	CFBCAPS3F##V	
		COLORBOND® Matt	CFBCAP3FM##V	
		COLORBOND® Ultra	CFBCAPSUT##V	
METLOK 700® FLASHINGS Per l/m	Ridge Cap 400/3F	COLORBOND®	CF##RIDGECAPV	Ridge Cap   
		COLORBOND® Matt	CFM##0400G3V	
		COLORBOND® Ultra	CUT##RIDGCAV	
	End Apron 300/2F	COLORBOND®	CF##ENDAPROV	
		COLORBOND® Matt	CFM##ENDAPRV	
		COLORBOND® Ultra	CFUT##ENDAPV	
	Barge Cap 300/3F	COLORBOND®	CFBCAPS3F##V	
		COLORBOND® Matt	CFBCAP3FM##V	
		COLORBOND® Ultra	CFBCAPSUT##V	


RAINWATER GOODS

Custom Flashings


GUTTERS




CAPPINGS



FLASHINGS



OTHER



HOW TO ORDER:

1. Choose the appropriate profile number, material thickness and finish.
2. Should COLORBOND® steel be required, nominate which side the colour is to be.
3. Identify the measurement for each letter shown.
4. Identify the angle where applicable.
5. Specify direction for tapered flashings.
6. Advise the quantity and length applicable to each profile.
7. Include a flashing sketch to ensure order accuracy.

FLASHINGS

* USE COLOUR CODE WHERE ## APPEARS
MAX. LENGTH 8000mm, MAX. WIDTH 1200mm

- Squash folds are charged as 2 bends
- Flashings are made and charged in various increments
- Flashings with more than 6 bends add \$1.00 per extra bend per metre
- Add \$2.50 per taper per metre

0.55 BMT COLORBOND®

GIRTH	BENDS	CODE*	GIRTH	BENDS	CODE*
100mm	1	CF##0100G1FV	500mm	1	CF##0500G1FV
	2	CF##0100G2FV		2	CF##0500G2FV
	3	CF##0100G3FV		3	CF##0500G3FV
	4	CF##0100G4FV		4	CF##0500G4FV
	5	CF##0100G5FV		5	CF##0500G5FV
	6	CF##0100G6FV		6	CF##0500G6FV
150mm	1	CF##0150G1FV	600mm	1	CF##0600G1FV
	2	CF##0150G2FV		2	CF##0600G2FV
	3	CF##0150G3FV		3	CF##0600G3FV
	4	CF##0150G4FV		4	CF##0600G4FV
	5	CF##0150G5FV		5	CF##0600G5FV
	6	CF##0150G6FV		6	CF##0600G6FV
200mm	1	CF##0200G1FV	750mm	1	CF##0750G1FV
	2	CF##0200G2FV		2	CF##0750G2FV
	3	CF##0200G3FV		3	CF##0750G3FV
	4	CF##0200G4FV		4	CF##0750G4FV
	5	CF##0200G5FV		5	CF##0750G5FV
	6	CF##0200G6FV		6	CF##0750G6FV
240mm	1	CF##0240G1FV	900mm	1	CF##0900G1FV
	2	CF##0240G2FV		2	CF##0900G2FV
	3	CF##0240G3FV		3	CF##0900G3FV
	4	CF##0240G4FV		4	CF##0900G4FV
	5	CF##0240G5FV		5	CF##0900G5FV
	6	CF##0240G6FV		6	CF##0900G6FV
300mm	1	CF##0300G1FV	1000mm	1	CF##1000G1FV
	2	CF##0300G2FV		2	CF##1000G2FV
	3	CF##0300G3FV		3	CF##1000G3FV
	4	CF##0300G4FV		4	CF##1000G4FV
	5	CF##0300G5FV		5	CF##1000G5FV
	6	CF##0300G6FV		6	CF##1000G6FV
400mm	1	CF##0400G1FV	1200mm	1	CF##1200G1FV
	2	CF##0400G2FV		2	CF##1200G2FV
	3	CF##0400G3FV		3	CF##1200G3FV
	4	CF##0400G4FV		4	CF##1200G4FV
	5	CF##0400G5FV		5	CF##1200G5FV
	6	CF##0400G6FV		6	CF##1200G6FV
450mm	1	CF##0450G1FV			
	2	CF##0450G2FV			
	3	CF##0450G3FV			
	4	CF##0450G4FV			
	5	CF##0450G5FV			
	6	CF##0450G6FV			

FLASHINGS

* USE COLOUR CODE WHERE ## APPEARS
MAX. LENGTH 8000mm, MAX. WIDTH 1200mm

- Squash folds are charged as 2 bends
- Flashings are made and charged in various increments
- Flashings with more than 6 bends add \$1.00 per extra bend per metre
- Add \$2.50 per taper per metre

0.55 BMT ULTRA®

GIRTH	BENDS	CODE*
100mm	1	CUT##0100G1V
	2	CUT##0100G2V
	3	CUT##0100G3V
	4	CUT##0100G4V
	5	CUT##0100G5V
	6	CUT##0100G6V
150mm	1	CUT##0150G1V
	2	CUT##0150G2V
	3	CUT##0150G3V
	4	CUT##0150G4V
	5	CUT##0150G5V
	6	CUT##0150G6V
200mm	1	CUT##0200G1V
	2	CUT##0200G2V
	3	CUT##0200G3V
	4	CUT##0200G4V
	5	CUT##0200G5V
	6	CUT##0200G6V
240mm	1	CUT##0240G1V
	2	CUT##0240G2V
	3	CUT##0240G3V
	4	CUT##0240G4V
	5	CUT##0240G5V
	6	CUT##0240G6V
300mm	1	CUT##0300G1V
	2	CUT##0300G2V
	3	CUT##0300G3V
	4	CUT##0300G4V
	5	CUT##0300G5V
	6	CUT##0300G6V
400mm	1	CUT##0400G1V
	2	CUT##0400G2V
	3	CUT##0400G3V
	4	CUT##0400G4V
	5	CUT##0400G5V
	6	CUT##0400G6V
450mm	1	CUT##0450G1V
	2	CUT##0450G2V
	3	CUT##0450G3V
	4	CUT##0450G4V
	5	CUT##0450G5V
	6	CUT##0450G6V

GIRTH	BENDS	CODE*
500mm	1	CUT##0500G1V
	2	CUT##0500G2V
	3	CUT##0500G3V
	4	CUT##0500G4V
	5	CUT##0500G5V
	6	CUT##0500G6V
600mm	1	CUT##0600G1V
	2	CUT##0600G2V
	3	CUT##0600G3V
	4	CUT##0600G4V
	5	CUT##0600G5V
	6	CUT##0600G6V
750mm	1	CUT##0750G1V
	2	CUT##0750G2V
	3	CUT##0750G3V
	4	CUT##0750G4V
	5	CUT##0750G5V
	6	CUT##0750G6V
900mm	1	CUT##0900G1V
	2	CUT##0900G2V
	3	CUT##0900G3V
	4	CUT##0900G4V
	5	CUT##0900G5V
	6	CUT##0900G6V
1200mm	1	CUT##1200G1V
	2	CUT##1200G2V
	3	CUT##1200G3V
	4	CUT##1200G4V
	5	CUT##1200G5V
	6	CUT##1200G6V

FLASHINGS

* USE COLOUR CODE WHERE ## APPEARS
MAX. LENGTH 8000mm, MAX. WIDTH 1200mm

- Squash folds are charged as 2 bends
- Flashings are made and charged in various increments
- Flashings with more than 6 bends add \$1.00 per extra bend per metre
- Add \$2.50 per taper per metre

0.55 BMT MATT COLORBOND®

GIRTH	BENDS	CODE*	GIRTH	BENDS	CODE*
100mm	1	CFM##0100G1V	500mm	1	CFM##0500G1V
	2	CFM##0100G2V		2	CFM##0500G2V
	3	CFM##0100G3V		3	CFM##0500G3V
	4	CFM##0100G4V		4	CFM##0500G4V
	5	CFM##0100G5V		5	CFM##0500G5V
	6	CFM##0100G6V		6	CFM##0500G6V
150mm	1	CFM##0150G1V	600mm	1	CFM##0600G1V
	2	CFM##0150G2V		2	CFM##0600G2V
	3	CFM##0150G3V		3	CFM##0600G3V
	4	CFM##0150G4V		4	CFM##0600G4V
	5	CFM##0150G5V		5	CFM##0600G5V
	6	CFM##0150G6V		6	CFM##0600G6V
200mm	1	CFM##0200G1V	750mm	1	CFM##0750G1V
	2	CFM##0200G2V		2	CFM##0750G2V
	3	CFM##0200G3V		3	CFM##0750G3V
	4	CFM##0200G4V		4	CFM##0750G4V
	5	CFM##0200G5V		5	CFM##0750G5V
	6	CFM##0200G6V		6	CFM##0750G6V
240mm	1	CFM##0240G1V	900mm	1	CFM##0900G1V
	2	CFM##0240G2V		2	CFM##0900G2V
	3	CFM##0240G3V		3	CFM##0900G3V
	4	CFM##0240G4V		4	CFM##0900G4V
	5	CFM##0240G5V		5	CFM##0900G5V
	6	CFM##0240G6V		6	CFM##0900G6V
300mm	1	CFM##0300G1V	1000mm	1	CFM##1000G1V
	2	CFM##0300G2V		2	CFM##1000G2V
	3	CFM##0300G3V		3	CFM##1000G3V
	4	CFM##0300G4V		4	CFM##1000G4V
	5	CFM##0300G5V		5	CFM##1000G5V
	6	CFM##0300G6V		6	CFM##1000G6V
400mm	1	CFM##0400G1V	1200mm	1	CFM##1200G1V
	2	CFM##0400G2V		2	CFM##1200G2V
	3	CFM##0400G3V		3	CFM##1200G3V
	4	CFM##0400G4V		4	CFM##1200G4V
	5	CFM##0400G5V		5	CFM##1200G5V
	6	CFM##0400G6V		6	CFM##1200G6V
450mm	1	CFM##0450G1V			
	2	CFM##0450G2V			
	3	CFM##0450G3V			
	4	CFM##0450G4V			
	5	CFM##0450G5V			
	6	CFM##0450G6V			

FLASHINGS

* USE COLOUR CODE WHERE ## APPEARS
MAX. LENGTH 8000mm, MAX. WIDTH 1200mm

- Squash folds are charged as 2 bends
- Flashings are made and charged in various increments
- Flashings with more than 6 bends add \$1.00 per extra bend per metre
- Add \$2.50 per taper per metre

0.9 BMT GALVANISED & ZINCALUME®

GIRTH	BENDS	GALVANISED CODE*	ZINCALUME CODE*
100mm	1	CFGA1001F09V	CFZA1001F10V
	2	CFGA1002F09V	CFZA1002F10V
	3	CFGA1003F09V	CFZA1003F10V
	4	CFGA1004F09V	CFZA1004F10V
	5	CFGA1005F09V	CFZA1005F10V
	6	CFGA1006F09V	CFZA1006F10V
150mm	1	CFGA1501F09V	CFZA1501F10V
	2	CFGA1502F09V	CFZA1502F10V
	3	CFGA1503F09V	CFZA1503F10V
	4	CFGA1504F09V	CFZA1504F10V
	5	CFGA1505F09V	CFZA1505F10V
	6	CFGA1506F09V	CFZA1506F10V
200mm	1	CFGA2001F09V	CFZA2001F10V
	2	CFGA2002F09V	CFZA2002F10V
	3	CFGA2003F09V	CFZA2003F10V
	4	CFGA2004F09V	CFZA2004F10V
	5	CFGA2005F09V	CFZA2005F10V
	6	CFGA2006F09V	CFZA2006F10V
240mm	1	CFGA2401F09V	CFZA2401F10V
	2	CFGA2402F09V	CFZA2402F10V
	3	CFGA2403F09V	CFZA2403F10V
	4	CFGA2404F09V	CFZA2404F10V
	5	CFGA2405F09V	CFZA2405F10V
	6	CFGA2406F09V	CFZA2406F10V
300mm	1	CFGA3001F09V	CFZA3001F10V
	2	CFGA3002F09V	CFZA3002F10V
	3	CFGA3003F09V	CFZA3003F10V
	4	CFGA3004F09V	CFZA3004F10V
	5	CFGA3005F09V	CFZA3005F10V
	6	CFGA3006F09V	CFZA3006F10V
400mm	1	CFGA4001F09V	CFZA4001F10V
	2	CFGA4002F09V	CFZA4002F10V
	3	CFGA4003F09V	CFZA4003F10V
	4	CFGA4004F09V	CFZA4004F10V
	5	CFGA4005F09V	CFZA4005F10V
	6	CFGA4006F09V	CFZA4006F10V

GIRTH	BENDS	GALVANISED CODE*	ZINCALUME CODE*
450mm	1	CFGA4501F09V	CFZA4501F10V
	2	CFGA4502F09V	CFZA4502F10V
	3	CFGA4503F09V	CFZA4503F10V
	4	CFGA4504F09V	CFZA4504F10V
	5	CFGA4505F09V	CFZA4505F10V
	6	CFGA4506F09V	CFZA4506F10V
500mm	1	CFGA5001F09V	CFZA5001F10V
	2	CFGA5002F09V	CFZA5002F10V
	3	CFGA5003F09V	CFZA5003F10V
	4	CFGA5004F09V	CFZA5004F10V
	5	CFGA5005F09V	CFZA5005F10V
	6	CFGA5006F09V	CFZA5006F10V
600mm	1	CFGA6001F09V	CFZA6001F10V
	2	CFGA6002F09V	CFZA6002F10V
	3	CFGA6003F09V	CFZA6003F10V
	4	CFGA6004F09V	CFZA6004F10V
	5	CFGA6005F09V	CFZA6005F10V
	6	CFGA6006F09V	CFZA6006F10V
750mm	1	CFGA7501F09V	CFZA7501F10V
	2	CFGA7502F09V	CFZA7502F10V
	3	CFGA7503F09V	CFZA7503F10V
	4	CFGA7504F09V	CFZA7504F10V
	5	CFGA7505F09V	CFZA7505F10V
	6	CFGA7506F09V	CFZA7506F10V
900mm	1	CFGA9001F09V	CFZA9001F10V
	2	CFGA9002F09V	CFZA9002F10V
	3	CFGA9003F09V	CFZA9003F10V
	4	CFGA9004F09V	CFZA9004F10V
	5	CFGA9005F09V	CFZA9005F10V
	6	CFGA9006F09V	CFZA9006F10V
1200mm	1	CFGA1201F09V	CFZA1201F10V
	2	CFGA1202F09V	CFZA1202F10V
	3	CFGA1203F09V	CFZA1203F10V
	4	CFGA1204F09V	CFZA1204F10V
	5	CFGA1205F09V	CFZA1205F10V
	6	CFGA1206F09V	CFZA1206F10V

FLASHINGS

* USE COLOUR CODE WHERE ## APPEARS
MAX. LENGTH 3000mm, MAX. WIDTH 1200mm

- Squash folds are charged as 2 bends
- Flashings are made and charged in various increments
- Flashings with more than 6 bends add \$1.00 per extra bend per metre
- Add \$2.50 per taper per metre

1.2 BMT GALVANISED

GIRTH	BENDS	PRODUCT CODE
100mm	1	CFGA1001F12V
200mm	1	CFGA2001F12V
240mm	4	CFGA2404F12V
300mm	1	CFGA3001F12V
	3	CFGA3003F12V
400mm	1	CFGA4001F12V
	2	CFGA4002F12V
500mm	1	CFGA5001F12V
600mm	1	CFGA6001F12V

NOTE:

- 1.2 and 1.5 BMT only available up to 3m lengths
- Crush folds not available.

1.5 BMT GALVANISED

GIRTH	BENDS	PRODUCT CODE
100mm	1	CFGA1001F15V
150mm	1	CFGA1501F15V
200mm	1	CFGA2001F15V
	2	CFGA2002F15V
	3	CFGA2003F15V
240mm	1	CFGA2401F15V
	2	CFGA2402F15V
300mm	1	CFGA3001F15V
	2	CFGA3002F15V
400mm	4	CFGA4004F15V
500mm	4	CFGA5004F15V
600mm	1	CFGA6001F15V
750mm	4	CFGA7504F15V
1200mm	1	CFGA1201F15V

FLASHINGS



* USE COLOUR CODE WHERE ## APPEARS
MAX. LENGTH 8000mm, MAX. WIDTH 1200mm

- Squash folds are charged as 2 bends
- Flashings are made and charged in various increments
- Flashings with more than 6 bends add \$1.00 per extra bend per metre
- Add \$2.50 per taper per metre

STAINLESS STEEL

GIRTH	BENDS	STAINLESS STEEL 304	STAINLESS STEEL 316
300mm	1	CFS03001304V	CFS03001316V
	2	CFS03002304V	CFS03002316V
	3	CFS03003304V	CFS03003316V
	4	CFS03004304V	CFS03004316V
	5	CFS03005304V	CFS03005316V
	6	CFS03006304V	CFS03006316V
400mm	1	CFS04001304V	CFS04001316V
	2	CFS04002304V	CFS04002316V
	3	CFS04003304V	CFS04003316V
	4	CFS04004304V	CFS04004316V
	5	CFS04005304V	CFS04005316V
	6	CFS04006304V	CFS04006316V
600mm	1	CFS06001304V	CFS06001316V
	2	CFS06002304V	CFS06002316V
	3	CFS06003304V	CFS06003316V
	4	CFS06004304V	CFS06004316V
	5	CFS06005304V	CFS06005316V
	6	CFS06006304V	CFS06006316V
750mm	1	CFS07501304V	CFS07501316V
	2	CFS07502304V	CFS07502316V
	3	CFS07503304V	CFS07503316V
	4	CFS07504304V	CFS07504316V
	5	CFS07505304V	CFS07505316V
	6	CFS07506304V	CFS07506316V
900mm	1	CFS09001304V	CFS09001316V
	2	CFS09002304V	CFS09002316V
	3	CFS09003304V	CFS09003316V
	4	CFS09004304V	CFS09004316V
	5	CFS09005304V	CFS09005316V
	6	CFS09006304V	CFS09006316V
1200mm	1	CFS12001304V	CFS12001316V
	2	CFS12002304V	CFS12002316V
	3	CFS12003304V	CFS12003316V
	4	CFS12004304V	CFS12004316V
	5	CFS12005304V	CFS12005316V
	6	CFS12006304V	CFS12006316V


STUD FRAMING & COMPONENTS

ITEM		GAUGE	STOCK CODE	PRODUCT CODE	
Trim Angle 35 x 35 Stock Length 3300mm		1.2mm	TA33		
Standard Stud 74 x 35 Stock Length 7500mm		1.2mm	STUD75	STUDPERMETRV	
Standard Plate 76 x 34 Stock Length 7500mm		1.2mm	PLATE75	PLATEPERMTRV	
Standard Nogging 72 x 36 Stock Length 7500mm		1.2mm	NOGGING75	NOGGINGPMTRV	
Ceiling Batten 22mm H Stock Length 6100mm		0.42mm	CBAT61	CBATPERMETRV	
Roof Batten 40mm H	Stock Length 6100	0.55mm	RBAT61	RBATPERMETRV	
	Stock Length 7500		RBAT75		
Top Hat 64mm H Stock Length 7500mm		0.75mm	THBAT647575	THBAT6475MTV	
		0.95mm	THBAT647595	THBAT6495MTV	
Top Hat 120mm H Stock Length 7500mm		0.75mm	THBAT1207575	THBAT075PMTV	
		0.95mm	THBAT1207595	THBAT120PMTV	
Fence Batten 50mm H Stock Length 7500mm		0.75mm	FNBAT75		

BUILDERS STRAPPING

ITEM	DESCRIPTION	PRODUCT CODE	
Galvanised Builders Strapping 32mm	50m x 1.2mm	BS321250	
	50m x 1.6mm	BS321650	
Galvanised Builders Strapping 50mm	50m x 1.6mm	BS501650	

STRUCTURAL DECKING

ITEM	DESCRIPTION	PRODUCT CODE	
METRODECK Structural Decking Order in item, allow 5 days lead time. Cover 600mm Maximum Length 8000mm	0.75mm	METRODECK75V	
	1.00mm	METRODECK10V	

GALVANISED PURLINS & GIRTS

Plain & Punched

SECTION	C PURLIN CODE	LIPLESS C PURLIN CODE	Z PURLIN CODE	MEGASPAN PURLINS	
				C	Z
10010	C10010PURLIV		Z10010PURLIV		
10012	C10012PURLIV		Z10012PURLIV		
10015	C10015PURLIV	C10015BLIPLV	Z10015PURLIV		
10019	C10019PURLIV	C10019BLIPLV	Z10019PURLIV		
15012	C15012PURLIV		Z15012PURLIV	MC15012PURLV	MZ15012PURLV
15015	C15015PURLIV	C15015BLIPLV	Z15015PURLIV	MC15015PURLV	MZ15015PURLV
15019	C15019PURLIV	C15019BLIPLV	Z15019PURLIV	MC15019PURLV	MZ15019PURLV
15024	C15024PURLIV	C15024BLIPLV	Z15024PURLIV	MC15024PURLV	MZ15024PURLV
20012				MC20012PURLV	MZ20012PURLV
20015	C20015PURLIV	C20015BLIPLV	Z20015PURLIV	MC20015PURLV	MZ20015PURLV
20019	C20019PURLIV	C20019BLIPLV	Z20019PURLIV	MC20019PURLV	MZ20019PURLV
20024	C20024PURLIV	C20024BLIPLV	Z20024PURLIV	MC20024PURLV	MZ20024PURLV
25015				MC25015PURLV	MZ25015PURLV
25019	C25019PURLIV	C25019BLIPLV*	Z25019PURLIV	MC25019PURLV	MZ25019PURLV
25024	C25024PURLIV	C25024BLIPLV*	Z25024PURLIV	MC25024PURLV	MZ25024PURLV
30024*	C30024PURLIV		Z30024PURLIV	MC30024PURLV	MZ30024PURLV
30030*	C30030PURLIV		Z30030PURLIV	MC30030PURLV	MZ30030PURLV
35024*	C35024PURLIV		Z35024PURLIV	MC35024PURLV	MZ35024PURLV
35030*	C35030PURLIV		Z35030PURLIV	MC35030PURLV	MZ35030PURLV
40030*	C40030PURLIV		Z40030PURLIV	MC40030PURLV	MZ40030PURLV

Availability subject to rolling schedule.

Z450 g/m² coating available POA.

Longest Newcastle length 15.8m.

*** Purlins available ex Sydney branch.**

Turn down lip available on C/Z 100/150/200/250. POA.



C PURLIN



Z PURLIN

STOCK PURLINS - 6.1m LENGTH

SECTION	C PURLIN CODE
C10015	C10015PURL61
C15015	C15015PURL61
C20015	C20015PURL61

FASCIA PURLINS - PLAIN & PUNCHED

PRODUCT CODE: FASPUR23019V

Minimum order required for sizes greater than 300mm.

Roof pitch required.

Set up fees apply.



C & Z SECTION PURLIN HOLES & CENTRES

STANDARD HOLES


Holes are measured from hole centre to hole centre.
All holes are 22 x 18mm slotted.

PURLIN	HOLE CENTRE TO HOLE CENTRE mm
100 SERIES	40
150 SERIES	60
200 SERIES	110
250 SERIES	160
300 SERIES	210
350 SERIES	260
400 SERIES	310



PURLINS & GIRTS

DIMENSIONS








C & Z PURLIN SIZE & MASS TABLE

Section	Thickness (t) mm	Height (D) mm	Z PURLINS			C PURLINS		Mass kg/m
			E	F	L	B	L	
100 10*	1.0	102	53	49	12.5	51	12.5	1.75
100 12	1.2	102	53	49	13	51	12.5	2.09
100 15	1.5	102	53	49	13.5	51	13.5	2.59
100 19	1.9	102	53	49	14.5	51	14.5	3.26
150 12	1.2	152	65	61	15.5	64	14.5	2.86
150 15	1.5	152	65	61	16.5	64	15.5	3.55
150 19	1.9	152	65	61	17.5	64	16.5	4.48
150 24	2.4	152	66	60	19.5	64	18.5	5.81
200 15	1.5	203	79	74	18	76	15.5	4.46
200 19	1.9	203	79	74	18.5	76	19	5.69
200 24	2.4	203	79	73	21.5	76	21	7.39
250 19	1.9	254	79	74	18	76	18.5	6.45
250 24	2.4	254	79	73	21	76	20.5	8.37
300 24*	2.4	300	100	93	27	96	27.5	10.11
300 30*	3.0	300	100	96	31	96	31.5	12.66
350 24*	2.4	350	129	121	30	125	30	12.23
350 30*	3.0	350	129	121	30	125	30	15.15
400 30*	3.0	400	96	96	30	96	30	15.15






*Minimum order quantity and lead time may apply


PURLINS & GIRTS LENGTH TOLERANCE FOR BRIDGING +/- 1mm

BOLTED BRIDGING & ACCESSORIES CHECK LEAD TIME WHEN ORDERING



ITEM	SIZE	PRODUCT CODE	
Bolted Bridging	100	BB100PERMTRV	 BOLTED BRIDGING
	150	BB150PERMTRV	
	200	BB200PERMTRV	
	250	BB250PERMTRV	
Bolted Fascia Bridging	100	BFB100PERMTV	 TIE ROD
Bolted Ridge Bridging	100	BRB100PERMTV	
C/Z Tie Rod	12mm	TR12PERLMTRV	
General Purpose Bracket	100	GPB100	
	150	GPB150	 GENERAL PURPOSE BRACKET
	200	GPB200	
	250	GPB250	
Angle Connector	100	AC100	 ANGLE CONNECTOR
	150	AC150	
	200	AC200	
	250	AC250	
Clamp Plate	100	CPLATE100	 CLAMP PLATE
	150	CPLATE150	
	200	CPLATE200	
	250	CPLATE250	
Raking Girt Bracket		RGB100	 RAKING GIRT BRACKET
Purlin Bolt, Nut & 2 Washers		M1230	
Fascia Bolt, Nut & 2 Washers		M1230FB	
Flanged Purlin Bolt & Nut		M1230FPB	
Bridging Stud 72mm x 30mm x Custom Length		BRIDGESTUDVV	

QUICKLOK BRIDGING CHECK LEAD TIME WHEN ORDERING

ITEM	SIZE	PRODUCT CODE	
Quicklok Bridging	100	QLB100PERMTV	 QUICKLOK BRIDGING
	150	QLB150PERMTV	
	200	QLB200PERMTV	
	250	QLB250PERMTV	
Quicklok Fascia Adjustable Bridging	100	QLFB100PERMV	 QUICKLOK FASCIA ADJUSTABLE BRIDGING
	150	QLFB150PERMV	
	200	QLFB200PERMV	
	250	QLFB250PERMV	
Quicklok Ridge Tie	100	QLRT100PERMV	 QUICKLOK RIDGE TIE
	150	QLRT150PERMV	
	200	QLRT200PERMV	
	250	QLRT250PERMV	
Quicklok Girt Hanger	100	QLGH100PERMV	 QUICKLOK GIRT HANGER
	150	QLGH150PERMV	
	200	QLGH200PERMV	
	250	QLGH250PERMV	
Quicklok Girt Foot	100	QLGF100PERMV	 QUICKLOK GIRT FOOT
	150	QLGF150PERMV	
	200	QLGF200PERMV	
	250	QLGF250PERMV	

ITEM	HEIGHT mm		PRODUCT CODE*	
Trimclad® Fence Panels	1500		FNS##15	
	1800		FNS##18	
	2100		FNS##21	
	PER METRE		FNS##PERMTRV	
Metline Premium Fence Panels Ex Metroll Sydney branch	1500		MLS##15	
	1800		MLS##18	
	2100		MLS##21	
	PER METRE		MLS##PERMTRV	
Metzag Fence Panels	1500		FNSMZ##15	
	1800		FNSMZ##18	
	2100		FNSMZ##21	
	PER METRE		MZS##PERMTRV	
Panel Kits Trimclad® & Metzag only Panel kit for one panel includes: Posts Rails Sheets Fasteners	Panel Width 2365mm	1500	FNPAN23CB15	 METZAG PANEL KIT
		1800	FNPAN23CB18	
		2100	FNPAN23CB21	
	Panel Width 3125mm	1500	FNPAN31CB15	
		1800	FNPAN31CB18	
		2100	FNPAN31CB21	
MAC FENCING MAC Atlas Fence Sheets Sheets per Panel Width 2365mm: 3 Sheets per Panel Width 3125mm: 4	MONUMENT® ATLASMMPRMTV		WOODLAND GREY® ATLASWGPRMTV	 MAC ATLAS
MAC Gemini Fence Sheets Sheets per Panel Width 2365mm: 3 Sheets per Panel Width 3125mm: 4	GEMINIMPMPTV		GEMINIWGPMTV	 MAC GEMINI
MAC Polaris Fence Sheets Sheets per Panel Width 2365mm: 4 Sheets per Panel Width 3125mm: 5	POLARISMMMTV		POLARISWGMTV	 MAC POLARIS

FENCING COMPONENTS

ITEM	LENGTH mm	PRODUCT CODE*	
Posts Install minimum 600mm deep	2100	FNPCB21	 RAIL POST
	2400	FNPCB24	
	2700	FNPCB27	
	3000	FNPCB30	
	PER METRE	FNP##PERMTRV	
Rail	2365	FNRCB23	 RAIL POST
	3125	FNRCB31	
	PER METRE	FNR##PERMTRV	
Fence Lattice	2355	FNL##	
	3155	FNL##31	
Fence Slattice	2355	FNSLC##	
	3155	FNSLC##31	
Fence Cap Flashing 30 x 30 x 30		FNC##	
Panel Base Plate - Shark Fin 100 x 100		FNPB	
Tek Screws 1016N		TEK1016##	

COLORBOND® STEEL FENCING

Gates & Accessories

* USE COLOUR CODE WHERE ## APPEARS.

ITEM	HEIGHT mm	890mm Wide Leaf Single Gate	1460mm Wide Leaf Double Gate
Trimclad® Gate Tolerances: +/- 5mm. 2 x 1460 leaves are required for a double gate.	1200	FG1289##	FG1214##
	1500	FG1589##	FG1514##
	1800	FG1889##	FG1814##
Metline Gate	Please specify where Metline sheets are required. Gate widths decrease by 10mm for single and double gates.		
Custom Gates	HEIGHT mm	WIDTH mm	PRODUCT CODE
	1200	From 0 - 890	CG120089##
		From 1461 - 2190	CG121421##
		From 2191 - 2920	CG122129##
		From 891 - 1460	CG128914##
	1500	From 0 - 890	CG150089##
		From 1461 - 2190	CG151421##
		From 2191 - 2920	CG152129##
		From 891 - 1460	CG158914##
	1800	From 0 - 890	CG180089##
		From 1461 - 2190	CG181421##
		From 2191 - 2920	CG182129##
		From 891 - 1460	CG188914##
Post Extension 400mm Galvanised Flashing		34 x 53 x 34	CFGA1502F09V
Gate Styles Available for DIY single gates. Each pair of styles comes with a pair of plastic caps. Sagging may occur if used for gates wider than 890mm.		1220mm	FGS##12
		1520mm	FGS##15
		1820mm	FGS##18
Gate Post 65 x 65		2400mm	FNGP65##
Fence Cap		Single	FNCAPSIN
		Double	FNCAPDBL
Hinge Kit - Zinc plate			FNHKZ
D Latch with Striker and Handle			FNDL
Drop Bolt			FNDB
Base Plate 65 x 65			SPIU65GA



PROUD SUPPLIER OF

Colorbond®

STEEL FENCING COLOUR RANGE

Always check your chosen colour against an actual product swatch.

STOCKED COLOURS



MADE TO ORDER COLOURS



INSULATED ROOFING & PATIOS

*USE COLOUR CODE WHERE ## APPEARS.

ITEM		CORE THICKNESS	PRODUCT CODE *	
Insulroof[®] SPECIFY ROOF COLOUR: Basalt[®] Classic Cream[™] Dune[®] Manor Red[®] Monument[®] Pale Eucalypt[®] Paperbark[®] Shale Grey[™] Surfmist[®] Woodland Grey[®] SPECIFY CEILING COLOUR: Classic Cream[™] Surfmist[®] Thredbo White[®]		50mm	INSULR##050V	
		75mm	INSULR##075V	
		100mm	INSULR##100V	
		125mm	INSULR##125V	
		150mm	Special Order	
Solarspan[®] SPECIFY ROOF COLOUR: Basalt[®] Classic Cream[™] Dune[®] Manor Red[®] Monument[®] Pale Eucalypt[®] Paperbark[®] Shale Grey[™] Surfmist[®] Woodland Grey[®] ZINCALUME[®] SPECIFY CEILING COLOUR: Classic Cream[™] Surfmist[®]		50mm	SOLAPAN##50V	
		75mm	SOLAPAN##75V	
		100mm	SOLAPAN##90V	
		125mm	Special Order	
		150mm	Special Order	
FASTENERS SPECIFY ROOF COLOUR: Basalt[®] Classic Cream[™] Dune[®] Manor Red[®] Monument[®] Pale Eucalypt[®] Paperbark[®] Shale Grey[™] Surfmist[®] Woodland Grey[®] ZINCALUME[®] Stormtite 125mm Steel Tek STORM125S Stormtite 125mm Timber Tek STORM125T Stormtite 150mm Steel Tek STORM150S Stormtite 150mm Timber Tek STORM150T Stormtite 175mm Steel Tek STORM175S Stormtite 200mm Timber Tek STORM200T 				
9W LED Downlight Kit	Cool White or Warm White		DOWNLIGHT9W	
Fan Mount Kit	To suit 50mm panel		FANBKTINSU50	
	To suit 75mm panel		FANBKTINSU75	
	To suit 100mm panel		FANBKTINSU100	
	To suit 125mm panel		FANBKTINSU125	
SKYLIGHTS & INFILLS				
Solarspan [®] Naturelite Ceiling Panel	5.0m		SKYSSCEIL50	
	7.5m		SKYSSCEIL75	
Solarspan [®] Naturelite Ceiling	Insert/Stop End		SKYSSINSERT	
Solarspan [®] Naturelite Roof Panel	5.0m		SKYSSROOF50	
	7.5m		SKYSSROOF75	
Insulroof [®] Skylight Kit Roof, Ceiling & Moulds	4.5m		SKYIRKIT45	
	7.0m		SKYIRKIT70	
Solarspan [®] Foam Pan Seal	1000mm		SOLAVERMIN	
Insulroof [®] Foam Pan Seal	1000mm		INSULROOFFPS	
Solarspan [®] Rib Infill	250mm		SOLARRI	

INSULATED ROOFING & PATIOS

ITEM	DETAIL	PRODUCT CODE	
Flat Pan 0.42 BMT Effective Cover 295mm Ridge Height 55mm 80% Double Sided Gloss	Yalumba	SMF56329282V	
	Chardonnay	SMF56329421V	
	Joadja	Special Order	
	Rock Salt	SMF56329165V	
	White Bay	SMF56329235V	
W Pan 0.42 BMT Effective Cover 300mm Ridge Height 50mm 80% Double Sided Gloss	Yalumba	SMW56328282V	
	Chardonnay	SMW56328421V	
	Rock Salt	SMW56328165V	
	White Bay	SMW56328235V	

SKYLIGHTS & INFILLS

Flat Pan Skylight 200mm wide	4m	SM4F56375000	
	5m	SM5F56376000	
Flat Pan Skylight 200mm wide Pack of 4	6m	SM6F56377000	
	6.5m	SM7F56378000	
Flat Pan Skylight Insert		SMFI56358000	
W Pan Skylight 110mm wide	4m	SM4W56360000	
	5m	SM5W56361000	
W Pan Skylight 110mm wide Pack of 4	6m	SM6W56362000	
	6.5m	SM7W56363000	
W Pan Skylight Insert		SMFI56358000	
W Pan Weather Stop/ Insert		SMRI56351000	
W Pan/Flat Pan Channel Seal	55mm x 9mm x 8m Roll	SMSL64612855	
W Pan / Flat Pan Receiver Channel 6.0m	Yalumba	SMRC64786182	
	Chardonnay	SMRC64786433	
	Rock Salt	SMRC64786165	
	White Bay	SMRC64786235	

ITEM	DETAIL	PRODUCT CODE	
Roof Extension Bracket	MKII 250mm - 310mm	REBRAMKII	 ROOF EXTENSION BRACKET
	S400 420mm - 480mm	REBRAS400	

INSULATED ROOFING & PATIOS

ITEM	DETAIL	LENGTH l/m	PRODUCT CODE
BONDOR Aluminium Beam 100 x 50mm ORDER IN *	Thredbo White® *	5.0	BEAM1005050
		6.1	BEAM1005061
		7.5	BEAM1005075
	Surfmist® *	6.1	BEAM1005061SM
		7.5	BEAM1005075SM
BONDOR Aluminium Beam 165 x 50mm ORDER IN *	Night Sky®	4.0	BEAM1655040NS
	Surfmist®		BEAM1655040SM
	Woodland Grey® *	5.0	BEAM1655050
	Classic Cream™ *		BEAM1655050CC
	Surfmist® *		BEAM1655050SM
	Woodland Grey® *	6.1	BEAM1655061
	Classic Cream™ *		BEAM1655061CC
	Surfmist® *		BEAM1655061SM
	Thredbo White® *		BEAM1655061TW
	Woodland Grey® *	7.5	BEAM1655075
	Thredbo White® *		BEAM1655075TW
	Night Sky®		BEAM1655075NS
	Surfmist®		BEAM1655075SM
	Classic Cream™ *	4.0	BEAM2255040CC
	Surfmist® *		BEAM2255040SM
BONDOR Aluminium Beam 225 x 50mm ORDER IN *	Woodland Grey® *	6.1	BEAM2255061
	Classic Cream™ *		BEAM2255061CC
	Night Sky®		BEAM2255061NS
	Surfmist®		BEAM2255061SM
	Woodland Grey® *	7.5	BEAM2255075
	Thredbo White® *		BEAM2255075TW
	Night Sky®		BEAM2255075NS
	Surfmist®		BEAM2255075SM
BONDOR Aluminium Maxi Beam 125 x 50mm x 1.0mm ORDER IN	Rock Salt	Assembled Beam	SMB64750165V
	Yalumba		SMB64750182V
	White Bay		SMB64750235V
	Chardonnay		SMB64750433V
	Nocturnal		SMB64750864V
BONDOR Aluminium Maxi Beam 175 x 65mm x 1.2mm ORDER IN	Rock Salt		SMB64785165V
	Yalumba		SMB64785182V
	White Bay		SMB64785235V
	Chardonnay		SMB64785433V
	Nocturnal		SMB64785864V
125 Beam Connector & End Cap ORDER IN	Rock Salt		SMBC64510165
	Yalumba		SMBC64510182
	White Bay		SMBC64510235
	Chardonnay		SMBC64510433
	Nocturnal		SMBC64510864



INSULATED ROOFING & PATIOS

ITEM	DETAIL	PRODUCT CODE	
175 Beam Connector & End Cap ORDER IN	Rock Salt	SMBC64520165	
	Yalumba	SMBC64520182	
	White Bay	SMBC64520235	
	Chardonnay	SMBC64520433	
	Nocturnal	SMBC64520864	

ITEM	DETAIL	LENGTH l/m	PRODUCT CODE	
BONDOR Post 110 x 110mm x 2mm STOCKED	Black	3.0	POST1101103B	
	White		POST1101103W	
	Black	4.0	POST1101104B	
	White		POST1101104W	
	Post Base	Mill Finish	POST110110B	
	Post Top		POST110110T	
BONDOR Aluminium Post 150 x 150mm ORDER IN	Thredbo White	6.5	POST15065TW	
	Internal Bracket 3mm Insert		POST150BRKT	
BONDOR Aluminium Post 90 x 90mm ORDER IN STOCKED *	Coloured	3.0	POST9030CB	
	Classic Cream™		POST9030CC	
	Monument®		POST9030MM	
	Night Sky® *		POST9030NS	
	Paperbark®		POST9030PB	
	Mill Finish		POST9030PLAIN	
	Thredbo White® *		POST9030TW	
	Woodland Grey®		POST9030WG	
	Classic Cream™	3.5	POST9035CC	
	Monument®		POST9035MM	
	Night Sky® *		POST9035NS	
	Paperbark®		POST9035PB	
	Mill Finish		POST9035PLAIN	
	Thredbo White® *		POST9035TW	
	Woodland Grey®		POST9035WG	
	Classic Cream™	6.5	POST9065CC	
	Monument®		POST9065MM	
	Night Sky®		POST9065NS	
	Paperbark®		POST9065PB	
	Mill Finish		POST9065PLAIN	
	Thredbo White®		POST9065TW	
	Woodland Grey®		POST9065WG	
	Internal Bracket 3mm Insert *		POST90BRKT	
	Post Holder Top *		POST90TOP	

INSULATED ROOFING FLASHINGS

* USE COLOUR CODE WHERE ## APPEARS.

ITEM	DETAIL	PRODUCT CODE*	
Insulated Roofing Receiver Channel 1.2mm Surfmist® only	To suit 50mm	SOLARECCH50V	RECEIVER CHANNEL 
	To suit 75mm	SOLARECCH75V	
	To suit 100mm	SOLARECCH90V	
	To suit 125mm	SOLARECCH12V	
Insulated Roofing Fascia Flashing	To suit 50mm	SOLFASC##50V	FASCIA FLASHING 
	To suit 75mm	SOLFASC##75V	
	To suit 100mm	SOLFASC##90V	
	To suit 125mm	CF##0300G5FV	
Insulated Roofing Rear Barge Flashing	To suit 50mm	SOLRBGE##50V	REAR BARGE FLASHING 
	To suit 75mm	SOLRBGE##75V	
	To suit 100mm	SOLRBGE##90V	
	To suit 125mm	CF##0500G6FV	
Insulated Roofing Side Barge Flashing	To suit 50mm	SOLUNIB##50V	SIDE BARGE FLASHING 
	To suit 75mm	SOLUNIB##75V	
	To suit 100mm	SOLUNIB##90V	
	To suit 125mm	CF##0500G6FV	

ACCESSORIES

ITEM	DETAIL	PRODUCT CODE	
Corodek® Eave & Ridge Filler Strips	915mm	EFC	
Trimclad® Eave Filler Strips		EFT	
Trimclad® Ridge Filler Strips		RFT	
Metlok 700® Eave Filler Strips	700mm	EFM700	
Metlok 700® Ridge Filler Strips		RFM700	
Metrospan® Eave Filler Strips	700mm	EFS	
Metrospan® Ridge Filler Strips			
Bitumen Impregnated Sealing Strips	40 x 20 x 2000mm L	BISEAL	

PAINTS & SEALANTS

COLORBOND® Touch Up Spray Paint Can USE COLOUR CODE WHERE ## APPEARS	150ml	TUS##	
Silicone Sealant - Clear	25 per box	SEAL	

DEKTITES

Black EPDM	75 - 175mm Hole	DFE110170B	
	150 - 300mm Hole	DFE160300B	
	5 - 127mm Hole	DFE50120B	
	5 - 55mm Hole	DFE555B	
	50 - 70mm Hole	DFE5070B	
Black/Grey EPDM	125 - 230mm Hole	DFE160220X	
Retrofit Grey EPDM	20 - 70mm Hole	RF801G	
	50 - 185mm Hole	RF802G	
	85 - 255mm Hole	RF803G	
Red Silicone (Fire Resistant)	150 - 300mm Hole	DFE207RE	

LEAF GUARDS


Leaf Guard Kit for Corodek®	250mm Saddles & Trim	LGKBCOROMCBV	
Leaf Guard Valley Kit for Corodek®		LGKBCOROVCBV	
Leaf Guard Kit for Trimclad®		LGKBTRIMMCBV	
Leaf Guard Valley Kit for Trimclad®	250mm Saddles & Trim	LGKBTRIMVCBV	
	750mm Saddles & Trim	LGKBTILEVCBV	
Leaf Guard Kit for Tiles	500mm Saddles & Trim	LGKBTILEMCBV	
Leaf Guard Valley Kit for Metlok 700®	250mm Saddles & Trim	LGKBMETLKCBV	
Leaf Guard Gutter Mesh	250mm Wide	LGKBMS250CBV	
	500mm Wide	LGKBMS500CBV	
	750mm Wide	LGKBMS750CBV	
	1000mm Wide	LGKBMS999CBV	
Leaf Guard Saddles	Corodek®	LGKBSADCORCB	
	Trimclad®	LGKBSADTRMCB	
Leaf Guard Trim	1m Length	LGKBFIXTRMCB	
Leaf Guard Screws	Tek 8 x 12 CB per 50	LGKBTEK812CB	
	Tek 8 x 15 CB per 51	LGKBTEK815CB	

ACCESSORIES

*USE COLOUR CODE WHERE ## APPEARS.

ITEM	DETAIL	PRODUCT CODE	
PVC Astragal to suit 90mm pipe	Box of 50	PVCBRW	
PVC Astragal to suit 150mm pipe	Box of 10	PVCBRW150	
90mm Stand-off Astragal	To suit 90mm pipe	SWCLIPS	
PVC Vermaseal - Grey Do not store in direct sunlight or expose to heat	3m	VERMSEAL3000	
Ventarof Louvre 1.5m length	Corrugated	VAR18CORRO	
	Trimclad	VAR30TRIM	
Ribbed Valley - Zinalume	4.0m	RBVALLE4S	
	6.0m	RBVALLE6S	
MakeSafe Cement Tile Clips	Pack of 250	MSCT	
MakeSafe Terracotta Tile Clips Wunderlich® Tile Only		MSTT	
MakeSafe Muscle Tape	100mm x 30m Roll	MSMT	
MakeSafe Smart Washers	Pack of 1000	MSSW	
MakeSafe Tarp Grabbers	Box of 20	MSTG	
MakeSafe Tarp - White	20m x 6m	WMST20	


FIBREGLASS BUILDING BLANKET, FOIL, SAFETY MESH & INSULATION

ITEM	ROLL SIZE	COVER m ²	RATING	THICKNESS mm	PRODUCT CODE	
Light Weight Foil Adhered	1200mm x 15m	18	R1.3	60	BBLW50STOCK	
			R1.3	60	BBLW50	
			R1.8	80	BBLW75	
Medium Weight Foil Adhered			R1.3	60	BBMW50	
			R1.8	80	BBMW75	
Heavy Weight Foil Adhered	1200mm x 10m	12	R1.3	60	BBHW50	
Fire Retardant Heavy Aluminium Foil - Resi Wrap, Anti Glare	1350mm x 60m	81			AF60HGRESI	
RoofsafAusmesh Safety Mesh 300 x 150 x 2mm	1800 mm x 50m	90			SM50182	
	2400mm x 50m	120			SM50242	
Polyair Performa	1350mm x 22.25m	30		4.0	POLYAIRPER4	
				8.0	POLYAIRPER8	
Polyair Foil Tape	72mm x 50m				POLYAIRTAPEF	

ROOF VENTILATORS



ITEM	DETAIL	PRODUCT CODE*	
Super Vent	250mm	SVCB	
Turbo Vent	300mm	TV##	
Hurricane Turbine Vent	450mm	HURRICA450##	
	600mm	HURRICA600##	
	900mm	HURRICA900##	

FIBREGLASS & POLYCARBONATE ROOFING




ITEM	DETAIL	PRODUCT CODE*	*USE COLOUR CODE WHERE ## APPEARS.
FIBREGLASS ROOFING			
Corodek® COLOURS: Clear Opal Storm Grey	1800 gsm	FRC##18PERMV	
	2400 gsm	FRC##24PERMV	
	3000 gsm	FRC##30PERMV	
Trimclad® COLOURS: Clear Opal Storm Grey	2400 gsm	FRT##24PERMV	
	3050 gsm	FRT##30PERMV	
Metrospan® COLOURS: Clear Opal Storm Grey	2400 gsm	FRHS##24PEMV	
Metlok 700® COLOURS: Clear Opal	2400 gsm	FRM##24PERMV	

POLYCARBONATE ROOFING

STANDARD LENGTHS (mm): 1800, 2100, 2400, 2700, 3000, 3300, 3600, 3900, 4200, 4800, 5400, 6000, 6300, 7200, 8100
NON-STANDARD LENGTHS ARE CHARGED AT THE NEXT HIGHEST STANDARD LENGTH RATE

Corrugated MATCHES CORODEK®	1.8 to 8.1m COLOURS: Clear, Opal, Light Bronze, Grey, Dark Tint	PC##COPERMV	
	1.8 to 6.0m COLOURS: Smooth Cream, Solafrost Clear, Solafrost Grey		
Greca	1.8 to 8.1m COLOURS: Clear, Light Bronze, Grey, Dark Tint, Pearl Ice, Silver Mist	PC##GRPERMTV	
	1.8 to 6.0m COLOURS: Opal, Smooth Cream		
Hi-Rib MATCHES TRIMCLAD®	1.8 to 8.1m COLOURS: Clear, Grey, Opal	PC##TRPERMTV	
	1.8 to 6.0m COLOURS: Light Bronze, Dark Tint		

TWIN WALL

10mm Twin Wall Per lineal metre	700mm wide	TW10MM700SWV	 ALUMINIUM H BAR
	1050mm wide	TW10MM1050WV	
Aluminium H Bar	Natural Anodised 7m	TW10HBARAL7	 H BAR FINISHING RUBBER GASKET
H Bar Finishing Rubber Gasket	10mm x 7m Roll	TW10FR7	
Aluminium End Cap	Natural Anodised 6.5m	TW10ECAPAL65	 ALUMINIUM END CAP
End Cap Rubber Gasket	10mm x 8m Roll	TW10ECR8	
	10mm x 14m Roll	TW10ECR14	 END CAP RUBBER GASKET
H Bar Rubber Gasket	10mm x 8m Roll	TW10HBR8	
	10mm x 14m Roll	TW10HBR14	 H BAR RUBBER GASKET
Sealer Tape	24mm x 50m Roll	TW10ST50	
Breather Tape	25mm x 33m Roll	TW10BT33	

METROLL KEY TERMS OF SALE

By placing an Order, the Customer accepts Metroll's Terms and Conditions of Sale (Terms of Sale), subject to any changes agreed in writing. Set out below are summaries of some of the key Terms of Sale. The full Terms of Sale should be reviewed prior to placing an Order and are available on Metroll's website, www.metroll.com.au. Unless otherwise defined below, capitalised terms used below have the same meaning as set out in the Terms of Sale.

The Supplier may make an estimate of dimensions and quantities of Goods based on information provided by you. Any such estimate is provided to the Customer as indicative only and the Supplier is not responsible for any mistakes in the estimate nor for verifying the accuracy of the Customer Material. The Customer must check any estimate and, in any event, accepts full responsibility for calculating the dimensions and quantities of Goods in an Order without reliance on any estimate provided by the Supplier (whether in the Quotation or otherwise). The Supplier, to the extent permitted by law, accepts no liability for any loss, damage, costs or expense (including, without limitation, rectification costs) incurred by the Customer or by any third party as a result of the Customer Material being inaccurate or incorrect.

If the Customer requires Goods for a particular purpose, that purpose and any related requirements, and the Supplier's agreement that the Goods will meet those requirements, must be agreed in writing in the Special Conditions. If the Customer does not specify the particular purpose and/or the Supplier does not expressly agree in writing that the Goods will be fit for the particular purpose, then the Customer agrees that it did not rely on the skill or judgment of the Supplier as to the suitability of the Goods in an Order for a particular purpose.

Where the Customer has a commercial credit account with the Supplier, invoices are due and payable on the last working day of the month after the month in which the Goods were delivered (or such other date agreed by the parties in writing).

Subject to any change in the Price made by the Supplier in accordance with the Terms of Sale, any variation to a Contract must be agreed between the parties in writing prior to the amended Goods being supplied, including any changes in Price to reflect the amended Goods. Unless agreed in writing by the parties, the Customer may not cancel an Order (or any part of an Order) once accepted by the Supplier, and, subject to clause 8 of the Terms of Sale, delivered Goods cannot be returned. Unless agreed in writing by the parties, the Customer may not suspend an Order (or any part of an Order) or delay or defer delivery of Goods. The Customer may not request the cancellation of an Order or (subject to clause 8) the return of Goods, where the Goods (or the Goods the subject of the Order) have been specifically produced, processed, manufactured or purchased by the Supplier at the Customer's request.

The Customer will pay for all costs associated with delivery of the Goods, unless otherwise agreed in writing.

Any period or date for delivery provided by the Supplier is an estimate only and is not a contractual commitment. The Supplier will not in any circumstances be liable for any loss or damage suffered by the Customer or any third party for failure by the Supplier to meet any estimated period or date for delivery of the Goods.

Unless agreed in writing prior to delivery, unloading of all Goods shall be the Customer's responsibility and the Supplier will not be responsible for any damage from the unloading of the Goods by the Customer or by anyone on its behalf, including, amongst others, by the Supplier's employees, agents or contractors.

Unless agreed in writing prior to delivery, unloading of all Goods shall be the Customer's responsibility and the Supplier will not be responsible for any damage from the unloading of the Goods by the Customer or by anyone on its behalf, including, amongst others, by the Supplier's employees, agents or contractors.

The Customer must inspect the Goods promptly after delivery and must notify the Supplier in writing by the earlier of (i) 24 hours after delivery to a construction site or 48 hours after delivery elsewhere, or (ii) the time that the Customer deals with the Goods, of any claim that the Goods (in whole or in part) are not in accordance with the Contract, including relevant details. If a notice is given, (a) the Customer must allow the Supplier to inspect the Goods the subject of the claim, including allowing reasonable access to the site to inspect the Goods and (b) the Customer must leave the Goods in the place, state and

condition in which they were delivered until the Supplier has inspected the Goods. If, after the Supplier has inspected the Goods, the Supplier reasonably determines that: (i) those Goods are damaged; and (ii) the Customer did not damage those Goods or fail to take reasonable steps to prevent those Goods from being damaged on or following delivery or collection (including, but not limited to, on processing or installation); or (iii) those Goods are otherwise incorrect for the Contract, the Supplier may reclaim the Goods and the Customer is entitled to, at the option of the Supplier, one or more of the following: (iv) the replacement of those Goods or the supply of equivalent Goods; (v) the repair of those Goods; (vi) the payment of the cost of replacing those Goods or acquiring equivalent goods; or (vii) the payment of the cost of having those Goods repaired.

Until such time as the Customer has made payment in full for the Goods and until such time as the Customer has made payment in full of all other money owing by the Customer to the Supplier: (a) title in the Goods does not pass to the Customer. The Customer acknowledges that by agreeing to the Terms of Sale, the Customer grants a security interest to the Supplier in all Goods (and their Proceeds) supplied by the Supplier to the Customer (or to its account) now or in the future. For the avoidance of doubt, the Supplier's interest constitutes a 'purchase money security interest' pursuant to the PPSA.

Subject to other clauses of the Terms of Sale, any liability of the Supplier for any loss or damage, however caused (including by the negligence of the Supplier), suffered or incurred by the Customer in connection with a Contract is limited to the sum paid to the Supplier by the Customer in respect of the component of the Order under that Contract subject to dispute. The Supplier is not liable for any Excluded Loss, however caused (including by the negligence of the Supplier), suffered or incurred by the Customer in connection with a Contract or these Terms of Sale.


If the Competition and Consumer Act 2010 (Cth) or any other legislation provides that there is a guarantee in respect of any Goods supplied in connection with a Contract with a Customer and the Supplier's liability for failing to comply with that guarantee cannot be excluded but may be limited, the limitations above do not apply to that liability and instead the Supplier's liability for such failure is limited to, in the case of a supply of Goods, the Supplier replacing the Goods or supplying equivalent Goods.

Except as agreed in writing in the Special Conditions, the Customer confirms and warrants to the Supplier that it has not and will not rely on: (a) representations made and/or advice given by the Supplier or its employees in connection with the design, dimensions, installations or use of Goods sold and agrees that the Supplier shall not be liable for the consequences of any mistakes in such representation or advice even if made or given negligently.

The provisions of clause 28 of the Terms of Sale will only apply to a Contract made between the Supplier and a Customer who is either a Consumer or a Small Business (each a CSB Customer) or, in relation to any provision concerning a Customer with a commercial credit account (which are not available to Consumers) a Customer that is a Small Business (an SB Customer). To the extent of any inconsistency between other provisions of the Terms of Sale and the provisions of clause 28 of the Terms of Sale, the provisions of clause 28 shall prevail in relation to a Contract with a CSB Customer or an SB Customer.

The Terms of Sale shall apply to every Contract between the Supplier and the Customer. Any terms and conditions of the Customer's Order or of any other document of the Customer's deviating from or inconsistent with the Terms of Sale are expressly rejected by the Supplier. For the avoidance of doubt, the Customer understands and agrees that the Terms of Sale will prevail over, and the Supplier will not be bound by, any terms or conditions (express or implied) added or provided by the Customer, whether in an Order or otherwise, unless otherwise agreed in writing by the Supplier (including in the Special Conditions).

METROLL NEWCASTLE DELIVERY SERVICE OFFER



DELIVERY SCHEDULE

ZONES	DELIVERY DAY				
	MON	TUES	WED	THU	FRI
NEWCASTLE	- Newcastle - Toronto - Cessnock - Branxton	- Maitland - Raymond Tce - Medowvie	✓	✓	✓
CENTRAL COAST	- Morisset - Laguna - Peral Beach - Central Mangrove	- Gosford - Wyong - Avoca Beach	✓	✓	✓
MID NORTH COAST	- Buladelah - Smiths Lake - Forster - Nambucca	- Krambach - Taree - Harrington	✓		
UPPER NORTH COAST	- Copernook - Port Macquarie - Gum Scrub - Kempsey	- Willawarrin - Macksville - Bowraville		✓	
HILLS	- Seaham - Clarence Town - Stroud - Dungog	- Gresford - Glendon Brook - Lambs Valley	✓		✓
BAY	- Bobs Farm - Salamander Bay - Fingal Bay - Karuah	- Pindamar - Tea Gardens - Hawks Nest	✓	✓	✓
HUNTER	- Singleton - Ravensworth - Jerrys Plains	- Broke - Paynes Crossing - Howes Valley	✓	✓	✓

Contact transport for deliveries outside of these zones

ORDERING

Please refer to the schedule below and order before 4pm the day before production day and at least 2 days before your required delivery day, i.e order by 4pm Monday for Wednesday delivery.

STANDARD LEAD TIMES: SHEETING & RAINWATER GOODS

PLACE ORDER DAY & TIME		DELIVER OR COLLECT					
		TUE	WED	THU	FRI	MON	TUE
MON	Before 9am	✓					
	After 9am		✓				
TUES	Before 9am		✓				
	After 9am			✓			
WED	Before 9am			✓			
	After 9am				✓		
THU	Before 9am				✓		
	After 9am					✓	
FRI	Before 9am					✓	
	After 9am						✓

STANDARD LEAD TIMES: PURLINS

All orders must be in and approved by 2pm day prior to rolling

SIZE	ROLLING DAY	DELIVER OR COLLECT Subject to Delivery Zone				
		TUE	WED	THU	FRI	MON
100	MON			✓		
150	WED					✓
200	FRI	✓				
250	FRI	✓		✓		

STANDARD DELIVERY CHARGES

Price on application

DESCRIPTION	CODE
All store deliveries	DELSTORE
Up to 12.200m	DELSITE12
12.201 to 14.000m	DELSITE14
>14.004 to 17.500m	DELSITE17
> 17.201 to 19.500m Includes 1 escort	DELSITE19
> 19.501 to 28.000m Includes 2 escorts	DELSPECIAL
Fencing	DELFENCE
Direct Insulation Delivery	DELINSO
Direct Bondor Delivery	DELBONDOR


SURCHARGES

Stock items may be returned for credit under the following conditions:

- (a) When the customer returns goods to Metroll a restocking fee of 20% (\$40 minimum) is applicable.
- (b) Where Metroll has to pickup and return goods, standard delivery charges plus a re-stocking fee of 20% (\$40 minimum) are applicable.
- (c) Cut-To-Length or specially purchased products are not returnable.

METROLL VEHICLE LOADING GUIDE

The drivers vision **MUST NOT** be obstructed




A 300mm square bright flag is required on any overhang that cannot be easily seen and is mandatory over 1200mm.




SECURE YOUR LOAD


Roof Racks must be secure
Max of 40kg
Check the Lashing Angle, the more upright = the more secure




Avoid Low Friction surfaces
E.g. Steel on Steel,
Plastic on Plastic,
Plastic on Steel



Min. 2 Lashings per stack for items longer than 750mm
Place wood or rubber between items



Never leave extended loads loose
Always secure ends FRONT & BACK



Round & Loose Loads require belly wrapping and extra restraints

Vehicles considered inappropriate cannot be loaded.
Your safety is our concern.

This information is a guideline only. Compliance with applicable laws and standards remains your responsibility.

METROLL NEWCASTLE DELIVERY TERMS & CONDITIONS

DELIVERY LENGTH

LENGTHS UP TO 9m

Delivered to site either by Rigid or a Semi-trailer.

LENGTHS UP TO 13.5m

Delivered to site by a Semi-trailer.

LENGTHS FROM 13.5m

Delivered to site by an Extendable trailer.

- Lengths over 20m must be escorted by a Pilot.
- Lengths over 25m must be delivered by a steerable trailer.
- Traffic control is the responsibility of the customer.
- Semi-trailer & extendable trailer bookings subject to availability.
- Maximum Hiab length is 13.5m. Longer lengths will require crane or forklift unload to be arranged by customer at their expense.

ESCORTED DELIVERIES

All products over 20m require minimum 48 hours notice.

All products from 25m require 7 days notice.

DELIVERY HOURS

Monday to Friday 7:00 am to 5:00 pm.

RE-DELIVERY

Product refused delivery at the original delivery site and requested to be re-delivered will incur a charge over and above the standard charge.

CUSTOMER COLLECTION TIMES

Collection Times: 7.30 am to 4.30 pm

Last Service: 4.15 pm

Loads over 2 Tonne and longer than 9m:

Phone to book on (02) 4954 5799

PRODUCT RETURNS

Provisions relating to product returns are set out in Section 8 of Metroll's Terms of Sale. The full Terms of Sale may be accessed on Metroll's website at www.metroll.com.au.

EXTRA CHARGES

DELIVERY OF PRODUCT OVER 20.5m LENGTH

- Long loads requiring pilots and/or steerable trailers are subject to additional charges.
- Escorted deliveries requiring pilots will incur additional charges.

TIMED DROP DELIVERIES

Deliveries can be booked subject to transport availability and are allocated by a first serve basis (for first drops). There is no additional charge for a timed delivery. Metroll Newcastle will do their best to meet the requirements of a timed delivery, arriving as near to the designated time as possible.

METROLL NEWCASTLE

268 Macquarie Road, WARNERS BAY, NSW 2282

Phone: 02 4954 5799

Email: sales@metrollmetal.com

SITE ACCESSIBILITY

Should Metroll Newcastle deem that the site is inaccessible it will be the customer's responsibility to nominate an alternative site or arrangements for the material to be unloaded. To avoid problems where difficult sites exist, Metroll recommend the customer contacts the Transport team to discuss the site and assess the accessibility prior to delivery.

TERMS & CONDITIONS OF SALE

Any sale of goods is subject to Metroll's standard Terms of Sale. A summary of key items is included in this brochure. The full Terms of Sale may be accessed on Metroll's website at www.metroll.com.au.

LIMITATIONS

- Delivery times are within daylight hours. Due to delivery sizes and inconsistencies, exact delivery times cannot be guaranteed.
- Delivered to kerb side (with limited exceptions for rural/remote areas). The road must be clear of vehicles and if traffic control is required this must be communicated to the transport team.
- If the driver feels a site is unsafe, dangerous or will cause damage to the customers property or Metroll's truck, the driver has the right to abort the delivery and their decision is final. If the order is returned to Metroll a new delivery location must be agreed upon before a new date is set. The second delivery is at the customers expense and will incur a second delivery charge.
- Metroll does not have 4WD capabilities and will not drive on grass or unsealed roads.
- No goods will be loaded on to other vehicles, plant equipment, roof tops, inside a building or over fences.
- No overhang is allowed on rigid trucks. Lengths up to 9m only.
- The customer must be on site to visually check all products are delivered and sign the delivery slip.
- Deliveries require a large, flat area to unload. Hiabs will not operate on slopes greater than 5°.
- Hiabs do not allow lift of product over 13.5m long. Customers must make alternative arrangements for items longer than 13.5m, e.g. crane, forklift or franna.
- Metroll drivers make every attempt to safely deliver goods, but delivery cannot be guaranteed due to unforeseen circumstances on a site. To assist Metroll with safe and successful delivery please ensure your site has clear and safe accessibility and that driveways can accommodate truck weights of 15 tonne.
- If there are any concerns regarding delivery please contact our office.



The COLORBOND® steel colours shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against a sample of the product before specifying as varying light conditions and limitations of the printing process may affect colour tones. COLORBOND®, BlueScope, the BlueScope brand mark and ® colour names are registered trade marks of BlueScope Steel Ltd. ™ colour names are trademarks of BlueScope Steel Ltd. All reasonable care has been taken in the compilation of the information contained in this brochure. All recommendations on the use of Metroll products are made without guarantee as conditions of use are beyond the control of Metroll. It is the customers responsibility to ensure that the product is fit for its intended purpose and the actual conditions of use are suitable. Metroll pursues a policy of continuous development and reserves the right to amend specifications without prior notice. The Metroll M and Logo are registered trademarks of Metroll. COLORBOND®, ZINCALUME® and GALVASPAN® steels are all registered trademarks of BlueScope Steel Limited.